212

1942-45 File No. 5945/36

P.W. DEPARTMENT
El. BRANCH

Subject:— Electric license

Bijapur, 1926.

Hours of supply of electric

energy.

File No. 5945/36 M.

Std. Scott. Slip 24-B

G. H., G. D., No. 2408, dated 22-6-22.]

DOCKET SHEET

Subject :—

File No. 5945/36

P. W. DEPT.

M BRANCH.

References :—

Date.	To whom sent.	Notes and instructions.
17/9/48	S. S.	[illegible] No. to Pl. 9, C Pt. (17-10-48)

NOTICE

From

The Bijapur Electric Supply Co. Ltd . Bijapur.

All the consumers are hereby informed that owing to the present international situation, it is getting very difficult for us to receive an adequate supply of oils at the proper time. With a view therefore to enable us to conserve the supply of fuel & lubricating oils, Government have asked us to request our consumers to curtail their supply as much as possible. We would therefore request all our consumers to consume as little electric energy as possible for their purposes.

Dated 1-4-1942

A. K. G. Bohari,
Manager,
The B. E. S. Co. Ltd.,
Bijapur.

जाहीर विनंती.

दी विजापूर इ. स. कंपनी कडून

सर्व कंझूमरनां [विद्युत् शक्ती ग्राहकांनां] विनंती पूर्वक कळविण्यांत येतें कीं —

हल्ली चालूं असलेल्या युद्ध परिस्थितीमुळे तेलाचा पुरवठा वक्तशीर होणें कठीण असल्यानें तेलाचा खर्च कमी व्हावा या हेतूनें विद्युत् शक्तीचा उपयोग होता होईल तों कमी करण्याकरितां सर्व कंझूमरनां विनंती करावी म्हणून सरकाराकडून लिहून आलें आहे. तरी सर्व कंझूमरनीं विद्युत् शक्तीचा उपयोग शक्य तितका कमी करावा अशी सविनय विनंती आहे. कळावे.

ता. १-४-४२.

A. K. G. Bohari,
मॅनेजर
दी विजापूर इलेक्ट्रिक सप्लाय कंपनी, विजापूर.

P. W. B.)

राधा प्रिं व, वि

The Bijapur Electric Supply Co. Ltd.

A. K. G. Bohari.
Managing Director.

No. G-818 of 1941-42.

Bijapur. 4th April 1942.
M.S.M.D.

To,

The Deputy Secretary to Government
Public Works Department, Bombay.

Sir,

Subject:- The Bijapur Electric License 1926.
Permission to stop ~~xxxxxxx~~ generation of electricity from 6.A.M. to 6.P.M.

We beg to state that the electrical Commissioner to the Govt of India, Calcutta has sent us a circular to the effect that in view of the shortage of electric cables and other accessaries we should discontinue to give new connections to nonessential consumers.

The Electrical Engineer to Govt of Bombay has also instructed us to conserve fuel and lubricating oil as much as possible by requesting the consumers to consume as minimum energy as possible. We are doubtful whether the consumers will be inclined to economise their supply even though a leaflet appealing to the public in this connection has already been circulated. (A copy is submitted ~~submitted~~ herewith for favour of perusal).

We are not getting any spare-parts for our oil engines from abroad. The Indian firms prepare a few of the parts but they are not found to be efficient and durable. If the spareparts available in India are to last for a long time we shall have to cut down the number of hours run by oil Engines. This would avoid early wearing of the spare-parts.

In view of the above vital reasons we request that we should be permitted to stop Generating of electricity from 6.A.M. to 6.P.M. every day. One month's notice in advance will be given to the consumers and the supply will be discontinued during daytime from 1st of June 1942 as the hot season here shall terminate by that time.

We will be able to conserve four tons of fuel oil and ¾ barrels of lubricating oil each month. The heavy pressure on the transport will be slightly lessened.

5945/36
8632

We will be allowed in this connection to add that the day load does not bring us any perceptible revenue. The X-Ray machine has already been disconnected by the authorities concerned. Only there are some Radio Sets maintained by a few consumers but these are nothing but articles of luxary which may not be a necessity in the present crisis.

In view of the facts mentioned above we shall feel obliged if you will kindly move Govt., to accord their sanction to stop the supply during the daytime i.e. from 6.A.M. to 6.P.M.

We beg to remain,
Sir,
Your most obedient servt.

A. K. E. Bohori

MANAGER,
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.,
BIJAPUR.

Encl:- one.

M.B. P.W.D.

Submitted.

2. In the circumstances explained the Bijapur El. supply Co. requests sanction to stop supply during day hours from 6 A.M. to 6 P.M. The labour may be retd. u.o. to the El. Engr to Govt for his remarks in the matter.

3. The Assn of the El. undertakings has raised repeatedly a question of granting general power to supply corps to restrict supply at their discretion in view of the difficulties in getting the necessary oil. The relevant labour are under u.o.r. to the El. Engr to Govt for his advice in the matter. It seems it is necessary to follow a uniform policy in dealing with all such cases & the El Engr to Govt may perhaps be requested to suggest what if anything should be.

9/4

5/4/42

N.S. U.O.

Fil 5571/36
8374

M-7/4

PUBLIC WORKS DEPARTMENT
5945/36
File No. 2647/36
-6 APR. 1942
Serial No. 8632

11/4/42

6-4-42

2691/36

Yes, I am of opinion that some restriction of service will have to be allowed, but I do not think we can permit supply to go to do as they like.

9/4

K. V. Wel. Engr. to Govt. by 9-4-42.

ELECTRICAL ENGINEER TO GOVERNMENT
Inwd. No. 289
15 APR 1942
File No. 4rms
P. W. D., BOMBAY

Below U.O.R.No.2691/36/dated the 9th April 1942,. from Government in the Public Works Department.

No Irrs 8/150 of 1942.

Bombay, 15th April 1942.

Returned, with compliments.

2. It appears from the report of the Electric Inspector, Bombay (copy enclosed) that the Supply Company has got sufficient day load for the satisfactory running of their engines. Under these circumstances, it is not necessary to permit the supply to be stopped during the day time, i.e. 6 A.M.to 6 P.M.

Electrical Engineer to Govt.

P.

Copy of report No.496 dated 9th April 1942, from the Electric Inspector, Bombay Province, to the Electrical Engineer to Govt., P.W.D., Bombay.

"The maximum day load in Bijapur is 36 amps on each outer of the three wire D.C.system from 9 A.M.to 1 P.M., and from

(P.T.O.)

from 4 P.M.to 6 P.M., while the load is 10 amps. on each outer of the system between 1 P.M.to 4 P.M.

There are three motive power consumers:

1. A consumer using elec.energy for driving two grinding mills, 2 motors of 10 B.H.P.each.

2. A consumer is using elec.energy for driving an ice plant with motor of 2 B.H.P.

3. The Bijapur Municipality is using energy for driving 3 pumping plants of 10, 5 and 5 B.H.P.each.

Besides, there are nearly 50 consumers using electric fans and about 24 consumers using radios.

It appears, therefore, that the Supply Co. has sufficient load in the day time for the satisfactory running of the engines."

" True Copy"

Head Clerk to the
Electrical Engineer to Govt.

MB 1574

PUBLIC WORKS DEPARTMENT
File No. 269/36
15. APR. 1942
Serial No. 9418

5745/36

1571/4

15-4-42

The Bijapur Electric Supply Co. Ltd.

A. K. G. Bohari.
Managing Director.

No. G-828 of 1942.

Bijapur. 10th April 1942.
M. S. M. Ry.

To,

The Deputy Secretary to Govt.
P. W. D. Bombay.

Subject:- The Bijapur Electric License
Permission to stop generation of
Electricity from 6 A.M. to 6. P.M.

Sir,

In continuation of this office letter No.G-818 dated the 4th inst., we humbly beg to report that connections to the grinding flour mills have been disconnected so that load - consequent thereon during the day time has been diminished to that extent.

We beg to remain,
Sir,
Yours faithfully,

A. K. G. Bohari
MANAGER.
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.
BIJAPUR.

5945/36
2691/36
9277

M.B. P.W.D.

Submitted.

2. The main file has been ref.d u.o. to El. Engr. to Govt. This may be ref.d to him in connection.

15/4/42

16/4

Resubmitted.

2. The main case has since been rec.d from the El. Engr. to Govt. vide Wh 7-8 on review of the report of the El. Engr. the El. Engr to Govt observes that it is not necessary to permit the subsidy to be drawn during the day-time from 6 A.M. to 6 P.M. as requested by the Wh 3-4 Co. On review of the Govt communication Wh 7-8 overleaf the load ref.d to by the El. Engr will be reduced. The papers may accordingly be ref.d back to the El. Engr to Govt with a request to state whether the permission should still be refused.

7/4/42

16/4

U.O. to El. Engr. to Govt. 21/4/42

22/4

D.S.

14/4

ELECTRICAL ENGINEER TO GOVERNMENT
Inwd. No. 727
2 MAY 1942
File No. 2691/36
P. W. D., BOMBAY

PUBLIC WORKS DEPARTMENT
File No. 2691/36 5945/36
11. APR. 1942
Serial No. 9277

4 0

Copy of letter dated 13th April 1942 from the Cawnpore Woollen Mills (LAL-WOOLI), Cawnpore. to the Manager of the Union Ginning & Pressing Co., Bijapur.

" We are in receipt of your letter of the 9th inst., and as desired enclosed herewith a draft for Rs.3200/- towards the cost of the 5 Motors purchased from you.

We are endeavouring to obtain a priority to assist in despatch and as soon as this is received it will be forwarded to you.

We note that your bill for packing and forwarding charges will be sent to us after the Motors have been despatched "

"True Copy"

A. K. E. Bohaer

MANAGER,
THE BIJAPUR ELECTRIC SUPPLYCO. LTD.,
BIJAPUR.

REQUEST.

by the Bijapur Electric Supply Co. Ltd., Bijapur.

All the consumers are hereby informed that owing to the present international crisis, the oils (Diesel Oil and Lubricating oil) and the spare parts of the machinery are not regularly available with the consequence that it will not be possible for us to give the exact date on which we shall be unfortunately required to stop the supply of electric energy to the public. With a view therefore that no consumer should be inconvenienced in any way, it is suggested, that every precaution may kindly be taken by him for his lighting in the case of such an unhappy contingency.

Further, with a view also to economise the small quantity of oils and spare parts which will be available after many endeavours, the supply of energy to consumers during the day-time i. e. from 6 A. M. 5 P M. every day shall have to be stopped from the 1st of June 1942 until further notice.

Bijapur, dated 23-4-1942.

A. K. G. Bohari,
Manager.
The Bijapur Electric Supply Co. Ltd, Bijapur.

ಜಾಹೀರ ವಿನಂತಿ

ದಿ ವಿಜಾಪುರ ಇಲೆಕ್ಟ್ರಿಕ ಸಪ್ಲಾಯ ಕಂ. ಲಿ. ವಿಜಾಪುರ

ಇವರ ಕಡೆಯಿಂದ —

ಯಾವತ್ತು ವಿದ್ಯುತ್‌ಶಕ್ತಿಗ್ರಾಹಕರಿಗೆ (consumers) ವಿನಯಪೂರ್ವಕವಾಗಿ ತಿಳಿಸುವ ದೇನಂದರೆ, ಈಗ್ಗೆ ಚಾಲೂ ಇದ್ದ ಭೀಕರ ಯುದ್ಧಪರಿಸ್ಥಿತಿಯಮೂಲಕ, ನಮ್ಮ ಕಾರಖಾನೆಗೆ ಬೇಕಾಗುವ ಎಣ್ಣೆಗಳು (crude oils and others) ಮತ್ತು ಯಾಂತ್ರಿಕ ಸಾಮಾನುಗಳು ವೇಳೆಗೆಸರಿಯಾಗಿ ಸಿಗುವದಿಲ್ಲ. ಕಾರಣ ನಮ್ಮೀ ಕಾರಖಾನೆಯನ್ನು ಬಂದ ಮಾಡುವ ದುರ್ದೈವಿ ಪ್ರಸಂಗವು ಯಾವಾಗ್ಗೆ ಬಂದೀತು ಇದನ್ನು ನಿಶ್ಚಿತವಾಗಿ ಹೇಳುವದು ಶಕ್ಯವಿಲ್ಲ. ಕಾರಣ ಯಾವತ್ತೂ ಜನರಿಗೆ ಆಗಾವು ನಮ್ಮ ಸೂಚನೆ ಮಾಡುವದೇನಂದರೆ :- ತಮ್ಮ ತಮ್ಮ ಇಮಾರತಿಗಳಲ್ಲಿ ಹಚ್ಚುವ ದೀಪಗಳಕುರಿತು ಯೋಗ್ಯ ತಜವೀಜ ಮಾಡಿಡಬೇಕು. ಏನ ವೇಳೆಯಲ್ಲಿ ಗೈರಸೋವಿ ಭಾಸಿಸಬಾರದೆಂಬ ಉದ್ದೇಶದಿಂದ ಈ ಸೂಚನೆಯನ್ನು ಮಾಡಿರುತ್ತವೆ.

ಹ ಗೂ ಮೇಲೆ ಬರೆದ ಕಾರಣಗಳಮೂಲಕ ಬಹಳ ಪ್ರಯಾಸದಿಂದ ದೊರಕಿದ ಅಲ್ಪಪ್ರಮಾಣದ ಎಣ್ಣೆಗಳಲ್ಲಿ ಮತ್ತು ಯಾಂತ್ರಿಕಸಾಮಾನುಗಳಲ್ಲಿ ಶಕ್ಯವಿದ್ದ ಮಟ್ಟಿಗೆ ಕಾಟಕಸರ ಮಾಡ ಬೇಕೆಂಬ ಉದ್ದೇಶದಿಂದ ತಾ॥ ೧ ಮಾ. ಜೂನ ೧೯೪೨ ಇಸ್ವಿಯಿಂದ ಎರಡನೇ ಸೂಚನೆ ಮಾಡುವವರೆಗೆ ಹಗಲು ಅಂದರೆ ಮುಂಜಾವಿನ ೬ ಘಂಟೆಯಿಂದ ಸಾಯಂಕಾಲದ ೫ ಘಂಟೆಯವರೆಗೆ ದಿನಾಲು ವಿದ್ಯುತ್‌ಶಕ್ತಿಯ ಪುರವಠೆಯನ್ನು ಬಂದ ಮಾಡಲಾದೀತು ತಿಳಿಯುವದು.

ವಿಜಾಪುರ, ತಾ. ೨೩-೪-೧೯೪೨.

ಎ ಕೆ. ಜಿ. ಬೊಹರಿ
ಮ್ಯಾನೇಜರ
ದಿ ಬಿಜಾಪುರ ಇಲೆಕ್ಟ್ರಿಕ್ ಸಪ್ಲಾಯ ಕಂ. ಲಿ. ಬಿಜಾಪುರ

The Bijapur Electric Supply Co. Ltd.

A. K. G. Bohari.
Managing Director.

No. G-861 of 194 2.

Bijapur. 27th April 194
I. S. M. Ry.

To,

The Deputy Secretary to the Government of Bombay,

Public Works' Department.

Sir,

Further to our letter No. G-828 of 10th inst., we beg to state that the Motors for the Grinding Mills have now been sold to - Cawnpore Mills by the Union Ginning and Pressing Co. Bijapur on - behalf of the owners thereof. (Please vide copy of letter dated - 13-4-1942 from the Cawnpore Woollen Mills); so, we have no motive power load except two small motors of about 5 B.H.P. used for our power House for circulating water and for air compression.

The Municipality are willing to run their pump Motors at night time. So, whatever day load there was, has been totally eliminated.

This would strongly support ~~EXEX~~ our case for stopping the - generation of electricity from 1-6-1942 during the day time i.e. - from 6.A.M. to 5.P.M.

A copy of the printed notice which will be issued to the consumers by the 1st of May 1942 on the subject of the proposed discontinuance of supply during the Day-time is submitted herewith for favour of perusal.

We beg to remain,
Sir,
Your most obedient servant

A. K. G. Bohari

MANAGER.
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.,
BIJAPUR.

Encl:- one.

5945/26
2691/36
10525

M.B. P.W.D.

Submitted.

2. The main case is under n.o.r. to the El. Engr to enf. Sheets have may be retd to him i.o. in continuation for remarks

29/4/42

30/4

U.O. to El. Engr. to forwd. of 1-542 → 30/4

D.S.

2691/36
9277

30 APR 1942

ELECTRICAL ENGINEER TO GOVERNMENT
Inwd. No. 728
2 MAY 1942
File No. 1208

M. 29/4

PUBLIC WORKS DEPARTMENT
File No. ~~2691/36~~ 5946/26
28. APR. 1942
Serial No. 10525

28/4/42

Below U.O.R.No.2691/36/10525 dated the 1st May 1942, from Government in the Public Works Department.

No: Elms/396 of 1942.

Bombay, 2nd May 1942.

Returned, with compliments, with U.O.R. dated the 21st April 1942.

2. The Supply Company may be permitted to give supply from 5 P.M. to 6 A.M. from 1st June 1942, provided they make arrangements with the Municipality to run their pumps during the night time, until such time as a regular supply of fuel oil is available.

Electrical Engineer to Govt.

M.B. P.W.D.

Submitted with reference to the
W.10 & 16
O.M.s & the 19-4-42 & the 29-4-42.

2. In view of the rehash of the
p.19
Sl. Engr to ~~not~~ overleaf the draft
put up may issue, if appd.

6/5/42

W.S.

seen

mB 4/5

PUBLIC WORKS DEPARTMENT
File No. ~~26~~ 91/36
2. MAY 1942
Serial No. 1089

945 Tnt

mB

2-5

19 5945/36/1089

No 5945/36 M.
P.W.D.
B.C. 9th May 1942

To
Messrs The Bijapur El.
Supply Co. Ltd

Sub:— The Bijapur Electric Licen
1926 - Hours of supply

Dear Sirs,

With reference to the p
correspondence ending with your letter
No E. 861, dated the 29-4-42, I am
directed to inform you that Gov
is pleased to permit you to give
supply of energy from 5 P.M. to 6 A.M.
with effect from the 1st June 1942,
provided you make arrangements w

945/36 20

the Army to run its pumps during the night time, until such time as a regular supply of fuel is available.

Yours Ffly

Copy, forwarded with compliments, for information to:-

the Commy, S.D.
the Colly of Bijapur
the Pol. Agent to Cpt (with reference to his no SRM 8/396, of the 2-5-42).



829
6/5/42

A(F)

The Bijapur Electric Supply Co. Ltd.

A. K. G. Bohari.
Managing Director.

No. G-170 of 194 2-43.

Bijapur. 5th June 194 2.
M. S. M. Ry.

To,

The Deputy Secretary to the Government of Bombay,

Public Works Department

Subject:- The Bijapur Electric License, 1926.
Hours of supply.

Sir,

With reference to your letter No.5945/36-M, of the 9th May 1942 received in this office on 14th May 1942, we are very - much thankful to you for having permitted us to give supply of energy from 5.P.M. to 6.A.M. daily with effect from 1st June 1942.

Accordingly we have been giving supply of energy to the consumers from 5.P.M. to 6.A.M. as from 1st June 1942.

We remain,
Sir,
Yours faithfully,

A.K.G. Bohari

MANAGER,
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.,
BIJAPUR.

5945/36
13979

M.B. P.W.D.

Submitted for information with reference to E.E.'s 19.20 ante.

2. The Sh. Engr to Exl may see the papers u.o. for information.

SJ
8/6/42

9/6

Sh. O. to Sh. Engr. Exl. 9/10/42

U.O

ELECTRICAL ENGR
TO GOVERNMENT.
Inwd. No. 1508
12 JUN 1942
Lrm8
P. W. D., BOMBAY

11 June

No. Lrm8/887 Dated 12th June 42.

Seen & returned with compliments

Electrical Engineer to Government.
P. W. D., Bombay.

PUBLIC WORKS DEPARTMENT
File No. 5945/36
12 JUN 1942
Serial No. 14442

M/S/6-6.

M.B. P.W.D.

Record.

SJ
15/6/42

16/6/42

A.S

PUBLIC WORKS DEPARTMENT
File No. 5945/36
6 JUN. 1942
Serial No. 13979

12-6-42

No.5961/36-M.
Public Works Department,
Bombay Castle, 13th June 1942.

From

The Deputy Secretary to the Government of Bombay,
Public Works Department.

To

Messrs.The Bijapur Electric Supply Company, Limited.

Subject:- Levy of minimum charges under restricted supply.

Dear Sirs,

I am directed to refer to Government letter No. 5945/36-M, dated the 9th May 1942, regarding restriction in the hours of supply of energy and to request that, since you are not able to give a continuous supply of energy in accordance with the terms of the license, the monthly minimum charge levied by you should be reduced with effect from 1st June 1942 in proportion to the present hours of supply.

Yours faithfully,

R. H. HAMMETT,
Deputy Secretary to the Government of Bombay,
Public Works Department.

D.A.- Nil.

Copy to the Electrical Engineer to Government for information with reference to his letter No.LRM 31/883, dated the 6th June 1942.

GR

GR
15/vi

The Bijapur Electric Supply Co. Ltd.

A. K. G. Bohari.
Managing Director.

No. G-193 of 194 2-43.

Bijapur. 26th June 194 2.
M. S. M. Ry.

To,

The Deputy Secretary to Government.,
Public Works Department, Bombay.

Sir,

b 23

With reference to your letter No.5961/36/M, dated the 18th of June 1942, we humbly beg to inform you that the question referred to shall be placed before the meeting of our Directors which is to take place early in the next month. Such matters involving loss of income shall have to be approved by the Body and consequently it will receive their approval in the said meeting. In the meanwhile we shall feel obliged if you will be graciously pleased to allow us to bring the orders of Govt into operation with effect from the 1st of July next.

We remain,
Yours faithfully,

V K G Bohari

MANAGER.
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.
BIJAPUR.

24


5945/26/MB 29/6
PUBLIC WORKS DEPARTMENT
File No. 5945/26
27 JUN 1942
Serial No. 15630
27602

C.R. No.

INDIAN POSTS AND TELEGRAPHS DEPARTMENT.

0 RC BIJAPUR 30 24

3156

RPPC RE ONE DEPUTY SECRETARY GOVT

PUBLIC WORKS DEPT BOMBAY

OUR LETTER G-193 TWENTY-SIXTH ORDERS

SOLICITED FOR PREPARING BILLS FOR

JUNE

ELECTRIC SUPPLY

17/56

The sequence of entries at the beginning of this telegram is—class of telegram, time handed in, serial number (in the case of foreign telegrams only), office of origin, date, service instructions (if any) and number of words.

This form must accompany any enquiry respecting this telegram.

MGIPPAh.—1971—16-9-41—10,500.

5945/36
15823

N.B. (with s. no 15730) P.W.O.
submitted with reference to
U.O. no 23 ante.

2. The tenders may first be
sent U.O. to the El. Engr to
quote for his remarks on the
request made by the Coy.

1/7/42

U.O. to El. Engr 2-7-42

ELECTRICAL ENGINEER
TO GOVERNMENT
Inwd. No. 2005
3 JUL 1942
File No. Gen 8
P. W. D., BOMBAY

12 JUL 1942

A S-X M-1/7

PUBLIC WORKS DEPARTMENT
File No. 5945/36
1- JUL. 1942
Serial No. 15823

R.B
1-7-42

Below U.O.R.No.5945/36 dated the 2nd July 1942, from Government in the Public Works Department.

No. 1136 of 1942.

Bombay, 3rd July 1942.

Returned, with compliments.

2. I do not see any reason as to why the Company should not levy the reduced minimum charge from 1st June 1942, instead of from 1st July 1942, as the hours of supply have been curtailed from 1st June 1942.

Electrical Engineer to Govt.

5945/36
16133

M.B. P.W.D.

Submitted, with reference to P 30 the o.n. dated the 1-7-42.

2. In view of the Sl. Engr's Pp 33-34 remarks overleaf the draft put up may issue, if appd.

SJ 6/7/42

D.S.

Seen

MB 4/7

PUBLIC WORKS DEPARTMENT
File No. 5945/36
-3. JUL. 1942
Serial No. 16133

MB 4/7

MB 3-7-42

No 5945/36.30.

P.W.D.

B.C. 8th July 1942.

To

Messrs The Bijapur Electric Supply Coy. Ltd.

Sub: — Restricted hours of supply. Levy of minimum charges for [illegible]

Dear Sirs,

With reference to your letter no 9.193, dated the 25th June 1942 and the subsequent telegram, dated the 30th June 1942, I am to inform you that as the hours of supply have been curtailed from the 1st June 1942 Govt sees no reason why you should

S&H/53/41 C
16133

not likely to be reduced minimum charge with effect from that date.

2. The reply voucher read with your telegram is returned herewith.

Yours ffly.

S&H
6/7/42

Copy forwarded with compliments to the Air Ministry for information with reference to this office letter S/H36, dated the 3rd July 1942.

S&H
6/7/42

D.A. Reply voucher.



Copy of resolution passed by the Board of Directors of the Bijapur Electric Supply Co., Ltd., Bijapur in their meeting held on 3rd July 1942.

Subject :- To note letters Nos. 5945/36-M and 5961/36-M dated 9th May 1942 and 18th June 1942 respectively received from the Deputy Secretary to Government, Public Works Dept., Bombay re: the reduction of hours in the supply of energy - and charging consumers with the minimum in proportion to the said reduction.

Resolved that :- Noted. This revision of the rate in charging the minimum shall bring in an approximate loss of Rs. 300/- to 400 a month. Therefore in the humble opinion of this body, it does not appear at all feasible to levy a rate of As.6/- per unit to consumers in view of the fact that the rates of oils and of the spare-parts have gone - abnormally high owing to the present war situation; besides, great inconvenience is being experienced in securing an - adequate supply of oils regularly on account of transport difficulties. Government should therefore be moved to be - gracious enough to permit us to charge electric energy at As.8/- per unit which is admissible in the license granted to us by them. A memorial should therefore be submitted to Government without delay placing before them the comparativ pre-war and the present rates of oils as well as the - expenditure we are required to incur on spare-parts of our plant which have to be obtained from time to time from the Indian Firms from whom, of course, we are not in a position to secure them of the same durability as was easily - available from the original makers of the plant.

" Carried unanimously."

True Copy.

N.K.G. Bohori

MANAGER.

THE BIJAPUR ELECTRIC SUPPLY CO. LTD.,

BIJAPUR.

The Bijapur Electric Supply Co. Ltd.

A. K. G. Bohari.
Managing Director.

No. G-200 of 1942-43.

Bijapur. 5th July 1942.
M. S. M. Ry.

To,

The Deputy Secretary to Government
Public Works Department, Bombay.

Sir,

With reference to the correspondence ending with your letter No.5961/36/M, dated the 18th ultimo, we humbly beg to inform you that it was placed before the Board of our Directors in their meeting held on 3rd July 1942.

A copy of the resolution passed by them is submitted herewith for favour of perusal with a strong hope that Government may kindly be moved to consider the question in all its aspects suggested by them.

The following comparative figures in respect of the expenditure incurred by us during the periods before and after the present War-situation shall convince Government of the difficulties experienced by us for the maintenance of a regular supply :-

Items.	year ending 1939-40.	Year ending 1941-42.
(1). Repairs to plant,	Rs. 1597- 3- 6.	Rs. 6261- 0- 9.
(2). Public Lights	Rs. 294-11- 0	Rs. 1910-0- 9.
(3). Fuel Oil	Rs. 19260-11- 7.	Rs. 21246-14-10.
(4). Repairs to mains	Rs. 91-13- 3	Rs. 672- 8- 1.
(5). Repairs to building	Rs. 26- 7- 9.	Rs. 320-12- 8.
Total :	Rs. 21270-15- 1.	Rs. 30411-14- 1.

As regards item No.(1) above, we may bring to your kind notice that owing to the present situation, we were not fortunate enough to secure spare-parts for our plant from the original makers with the consequence that we were forced to approach the Indian Firms like Messrs. Kirloskar Bros' for help. These Firms, as a matter of fact, charged us at abnormal rates for the spare-parts which, of course, were not so durable as they ought to and consequently we were obliged to replace them from time to time at greater cost.

As regards items (2),(4) & (5), the abnormal rise in the market prices of bulbs, wires and other materials is wholly responsible for the enormous expenditure under those heads.

As regards oils item (3) above, we may mention that the rates of the Diesel oil was increased by the suppliers from Rs. 63/- to Rs.80-6-0 per ton and they have now gone the length of increasing it to Rs.88- 6- 0 per ton. In this connection great difficulties are being experienced by us in securing oil owing to transport difficulties by the Railway authorities. If the same state of things is unfortunately made to continue, we are highly afraid, we cannot foretell when we shall be forced by the circumstances to stop the supply to the public.

Lastly the reduction in the rate of charging minimum, imposing an approximate loss of Rs.300/- to Rs.400/- will amount to an addition of misery to the present evils.

Under these circumstances, we shall feel highly obliged if you will be graciously pleased to move Government to accord their approval in allowing us to charge energy at As.8/- (Annas eight) per unit which is already admissible in the license granted to us.

Soliciting the favour of necessary compliance and thanking you in anticipation..

We beg to remain,

Sir,

Yours faithfully,

N.K.G. Bohori

MANAGER.
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.,
BIJAPUR.

Copy forwarded with compliments to the Electrical Engineer to Government, Public Works Department, Bombay, for favour of perusal.

5945/36
16409

M.B. P.W.D.

Submitted with reference to
C.L. no 5961/36 M. of the 18.6.42.
p.23

2. At present the cry charges a rate of As 6 per unit for lighting, fans & heating purposes against the maximum rate of As 8 sanctioned in the licence. For the reasons given in Wh 37 39 the cry requests that they may be permitted to charge the maximum rate. Normally there seems no objection to the cry charging the maximum rate. The Sl. Engr to Govt may be requested u.o. to advise in the matter. It may be observed here that in his audit report for the year 1940-41 the Examiner, Local Audit has suggested reduction in the existing rate in view of the surplus of about Rs 40000 but on the advice of the Sl. Engr to Govt the question has been held over till next audit owing to present war conditions

24/7/42

U.O. to Sl. Engr to Govt. (with file 906/36), d. 25-7-42

U.O. No.

ELECTRICAL
TO GOVERNMENT
Inwd. No. 2629
30 JUL 1942
File No. 4248
P. W. D., BOMBAY

21 JUL

File 906/36
p 267
p.277
p.278

MB/8.7

PUBLIC WORKS DEPARTMENT
File No. 5945/36
-7. JUL. 1942
Serial No. 16409

7-7-42

Below U.O.R.No.5945/36 dated the 25th July 1942, from Government in the Public Works Department.

No. Elec 8 / 1488 of 1942.

Bombay, 30th July 1942.

Returned, with compliments.

2. The Supply Company can increase the rates within the maxima sanctioned in their license without Government permission. In view of the fact that the prices of the crude oil have gone up, the request of the Supply Company may be granted.

Electrical Engineer to Govt.

Gus/36

18272

M.B. P.W.D.

Submitted with reference to the
p. 40
O.M., dated the 24-7-42.

2. In view of the remarks of the WB43-44
Sl. Engr to Govt overleaf the draft
put up may issue, if appd.

27/7/42

7/8

7/8

D.S

Secy

MB 31/7

PUBLIC WORKS DEPARTMENT
File No. 5945/36
30. JUL 1942
Serial No. 18272

30.7.42

5945/36/18272

No 5945/36 M.

T. 10 D/K

B.C. 10/K Aug 1942

To

Messrs The Bijapur Electric
Supply Coy. Ltd

Sub:— Restricted hours of supply
Proportionate reduction in
the minimum charges.

Dear Sirs,

With reference to your letter
no G.200, dated the 5th July 1942 requesting
permission to charge energy for lighting,
fans & heating at the maximum rate
of As 8 per unit as provided by the
Bijapur El. License, 1926 in lieu of the
current rate of As 6 9 am to

5945/39-A
18272

inform you that under the terms of the licence ~~under the~~ permission is not necessary.

yours ffly.

Copy for information to

the Commr, S.D.*
the Collr of Bijapur*

the Asst Engr & Exn (with reference to his no ERM 8/1488, dated the 30-7-42).

* with a copy of E.B. no 5961/36 M, dated the 18.6.42

Issued 8/8 M/8

821
7/8/42

7/8

7/8

8/8

ಜಾಹೀರ ವಿನಂತಿ.

ದಿ ವಿಜಾಪೂರ ಇಲೆಕ್ಟ್ರಿಕ ಸಪ್ಲಾಯ ಕಂಪನಿ ಲಿಮಿಟೆಡ್, ವಿಜಾಪೂರ
ಇವರ ಕಡೆಯಿಂದಾ—

ಯಾವತ್ತೂ ವಿದ್ಯುತ್‌ಶಕ್ತಿಗ್ರಾಹಕರಿಗೆ (consumers) ವಿನಯಪೂರ್ವಕವಾಗಿ ತಿಳಿಸುವದೇನಂದರೆ,— ಈಗ್ಗೆ ಚಾಲೂ ಇದ್ದ ಭೀಕರ ಯುದ್ಧ ಪರಿಸ್ಥಿತಿಯ ಮೂಲಕ, ನಮ್ಮ ಕಾರಖಾನೆಗೆ ಬೇಕಾಗುವ ಎಣ್ಣೆಗಳು (crude oil and other oils) ಮತ್ತು ಯಾಂತ್ರಿಕ ಸಾಮಾನುಗಳು ಬಹಳೇ ತುಟ್ಟಿಯಾದ್ದರಿಂದ ಮತ್ತು ವೇಳೆಗೆ ಸಿಗದ ಮೂಲಕ ಈಗ ಅಮಲಿನಲ್ಲಿ ಇದ್ದ ದರವಂದು ಯುನಿಟ್ಟಿಗೆ ೦ - ೬ – ೦ ದರದಲ್ಲಿ ವಿದ್ಯುತ್ತ ಶಕ್ತಿಯನ್ನು ಪೂರೈಸುವದು ಅಶಕ್ಯವದೆ. ಕಾರಣ ಸರಕಾರದ ಅನುಮತಿಯಿಂದ

ತಾ. ೧—೯—೪೨ ಇಸ್ವಿಯ ಹಿಡಿದು

ದರ ಒಂದು ಯುನಿಟ್ಟಿಗೆ ೦—೮—೦ ಯಂತೆ ಆಕಾರಣಿ ಮಾಡುವದರಲ್ಲಿ ಬರುವದು.

ಹಾಗೂ ಮಿಟರ ಇಲ್ಲದೆ ಇದ್ದ ಫ್ಲ್ಯಾಟರೇಟ (Flatrate Lights) ದೀಪಗಳಿಗೆ ಮೇಲೆ ನಮೂದಿಸಿದ ತಾರೀಖಿನಿಂದಾ ಅಂದರೆ ತಾ. ೧—೯—೪೨ ನಿಂದಾ ಕೆಳಗೆ ತೋರಿಸಿದಪ್ರಕಾರ ಸರಕಾರಕ್ಕೆ ಕೊಡತಕ್ಕ ಕರದ ಹೊರ್ತಾಗಿ ಆಕರಣಿ ಮಾಡುವದರಲ್ಲಿ ಬರುವದು.

ವ್ಯಾಟ್ ದೀಪ		ರೂ.	ಆ.	ಪೈ	ಪ್ರತಿಯೊಂದು ತಿಂಗಳಿಗೆ
೩೦	,,	೨	೮	೦	,,
೪೦	,,	೩	೪	೦	,,
೬೦	,,	೪	೦	೦	,,
೧೦೦	,,	೫	೦	೦	,,

ಈ ಫ್ಲ್ಯಾಟರೇಟ (Flatrate Lights) ದೀಪಗಳನ್ನು ಸಾಯಂಕಾಲದ ೬ ಘಂಟೆಯಿಂದಾ ರಾತ್ರಿ ೧೧ ಘಂಟೆಯವರೆಗೆ ಮಾತ್ರ ಚಾಲೂ ಇಡತಕ್ಕದ್ದು.

ಜಾಪೂರ
ದಿ. ೪-೮-೧೯೪೨

ತಮ್ಮ ನಂಬಿಗೆಯ
ಎ. ಕೆ. ಜಿ. ಬೊಹರಿ
ಮ್ಯಾನೇಜಿಂಗ ಡೈರೆಕ್ಟರಃ—
ದಿ ವಿಜಾಪೂರ ಇಲೆಕ್ಟ್ರಿಕ್ ಸಪ್ಲಾಯ ಕಂ. ಲಿ.
ವಿಜಾಪೂರ.

(ರಾಧಾ ಪ್ರಿ, ವ. ವಿ.)

To,

The ~~Electrical Engineer~~ Secretary Government of Bombay,
P. W. D., Churchgate Road,

B o m b a y .

Sir,

We, the residents of the Bijapur city beg to submit the following few lines for your kind and favourable - consideration :-

We learn from the Notice issued by the Bijapur - Electric Supply Co., Bijapur that rates of the electric supply will be increased to 8 annas per "Unit" from the 1st September 1942. But the current rate - 6 annas per Unit - is excessive compared to other places like Sholapur Bagalkot, Kanebinnur and Hubli Wherein the existing rate per unit is about 4 annas and less than that. It is also learnt from the same notice that the increased rate is - sanctioned by Government.

We, therefore, request your Honour please to consider the matter favourably in the interest of the p u b l c - (consumers), so as to continue the existing rates only.

Notice of the Bijapur Electric Supply is herewith for your perusal.

Bijapur.
19-8-1942.

We remain, Sir,
Your most obedient servants.
Sd/ x x x

Copy forwarded with respects to the Collector of Bijapur for information and necessary action.

Your most obeident servants.
Sd/ x x x

Forwarded with compliments to the Manager, Bijapur Electric Supply Company, Bijapur for information.

Yours Faithfully,
PRESIDENT,
The Bijapur Merchants' Association,
BIJAPUR.

Address:-
President,
Merchants',
Association,
Bijapur.

P.S. Any communication may be addressed to the President Bijapur Merchants' Association, Bijapur.

PRESIDENT,
The Bijapur Merchants' Association,
B I J A P U R .

R. B. Valkarny

D. K. Pandit

Ganesh

S. K. Uttamal

For. S. J. Uttamal Dep Mort

S. J. Uttamal

Acknowledged

PUBLIC WORKS DEPARTMENT
File No. 5945/36
22. AUG. 1942
Serial No. 2022

M.B.

Submitted.

2. The residents of Bijapur city, for the reasons stated in their petition, request that the old rates of charging for electric light, ~~etc~~ power be continued. As the matter has already been considered by Govt., the President of the Bijapur merchants' Assocn may be addressed as per draft-~~put~~ below for approval.

21/10/42

4/10/42

No. 5945/36-M

Pmep., Bc., 7th Sept. 1942

To

The President,
The Bijapur Merchants' Assocn
Bijapur.

Subject: Electric licence, Bijapur
~~Refrigerating etc. Ice~~
~~Enhancement of charges~~
~~to the consumers~~
~~rates of electric supply~~
of electric energy.

Dear Sir,

With reference to your letter dated the 19-8-42, I am directed to inform you that the Bijapur El. Supply Co. is competent to raise the ~~of supply of electric energy~~ rates to the maxima as provided in the licence.

Yours

Yours faithfully,

Copy forwarded, for information, to the Collector of Bijapur.

No.5945/36-M.

Public Works Department,
Bombay Castle, 7th September 1942.

From

The Deputy Secretary to the Government of Bombay,
Public Works Department.

To

The President,
The Bijapur Merchants' Association,
Bijapur.

Subject:- Electric License, Bijapur:
Representation for continuance of existing rates of supply of electric energy.

Dear Sir,

With reference to your letter dated the 19th August 1942 I am directed to inform you that the Bijapur Electric Supply Company is competent to raise the rates of supply of electric energy to the maxima as provided in the license.

Yours faithfully,

O.C.

8/9

Deputy Secretary to the Government of Bombay, Public Works Department.

D.A.- Nil.

Copy forwarded, for information, to the Collector of Bijapur.

DVS.
7/9.

No. P.O.L.863. 55 Bijapur, 19th Aug. 1942.

O R D E R.

In exercise of the powers conferred by ~~xxxx~~ clause (a) of sub-rule (2) of rule 81 of the Defence of India Rules read with Government Notification, Home Department (Political-War), No.S.D./W-3401 dated 19th December 1941 the District Magistrate Bijapur hereby directs that with effect from 20th August 1942 The Bijapur Electric Supply Company, Bijapur shall not supply electrical energy between the hours of 12 P.M. and 6 P.M. to any person without the special permission of the District Magistrate.

District Magistrate, Bijapur.

To,

The Electric Supply Company, Bijapur.

Copy to:-

1. The President, Municipal Borough, Bijapur w.c.
2. The District Superintendent of Police, Bijapur w.c.
3. The Mamlatdar Bijapur.

No.P.J.L.-863.
Office of the District Magistrate, Bijapur.
Bijapur, 1st September 1942.

O R D E R.

In exercise of the powers conferred by clause (a) of sub-rule (2) of rule 81 of the Defence of India Rules read with Government Notification, Home Department -- (Political-War), No. S.D./W-3401 dated 19th December 1941 the District Magistrate Bijapur hereby directs that with effect from 1st September 1942 the Bijapur Electric -- Supply Company, Bijapur shall not supply electrical -- energy between the hours of 1 A.M. and 7 P.M. to any -- person without the special permission of the District - Magistrate.

District Magistrate, Bijapur.

To

The Electric Supply Company, Bijapur.

Copy to:-

1. The President, Municipal Borough, Bijapur w.cs.
2. The District Superintendent of Police, Bijapur with compliments.
3. The Huzur Mamlatdar, Bijapur.

No.P.O.L.-863.
Office of the District Magistrate, Bijapur.
Bijapur, 1st September 1942.

O R D E R.

In exercise of the powers conferred by clause (a) of sub-rule (2) of rule 81 of the Defence of India Rules read with Government Notification, Home Department -- (Political-War), No. S.D./W-3401 dated 19th December 1941 the District Magistrate Bijapur hereby directs that with effect from 1st September 1942 the Bijapur Electric -- Supply Company, Bijapur shall not supply electrical -- energy between the hours of 1 A.M. and 7 P.M. to any -- person without the special permission of the District - Magistrate.

District Magistrate, Bijapur.

To

The Electric Supply Company, Bijapur.

Copy to:-

1. The President, Municipal Borough, Bijapur w.cs.
2. The District Superintendent of Police, Bijapur with compliments.
3. The Huzur Mamlatdar, Bijapur.

Subject :- Rationing of Diesal oil supplies to the public Electricity Supply undertakings.

No. P.O.L.-863.
Bijapur 4 th Sept. 1942.

From

The District Magistrate, Bijapur.

To

The Deputy Secretary to Government,
P.W.D., Bombay.

Sir,

In continuation of this Office No. P.O.L.-863 of - 28-8 1942 on the subject mentioned above, I have the honour to state that a revised order regarding the period of supply of electricity in respect of the Bijapur Electric Supply Company., has been passed by me, because of the advance of time by an hour from 1-9-1942. A copy of the order is sent herewith.

Your obedient servant.

Dist. Magistrate, Bijapur.

1932136
21199

Secy. Kozu

8/9/42

Record

8/9

8/9



7/9

2243
1942

THE BIJAPUR ELECTRIC SUPPLY COMPANY Ltd.

A.K.G. Bohari,
Managing Direcotr.

No. G.392 of 1942-43.
Bijapur, 3rd Sept. 1942.

To

The District Magistrate, Bijapur.

Sir,

We are thankful to you for having agreed to allow us to supply electric energy to consumers from 7 P.M. to 1 A.M. daily as from 1-9-1942.

During these five days of restricted supply of hours we have once experienced the following difficulty which deserves your sympathetic consideration.

A complicated fault occurs in the Distribution system at Night. It becomes impossible to detect the same during that night as at times it becomes dangerous to work on Live wires at Night.

In such a case we have to run the Power House and energies the Distribution system during the next day-time and then to rectify the fault and take a trial. This trial has to be taken before 7 P.M. and keep the whole system ready for receiving the energy without any defect in the system at 7 P.M.

We are therefore request you to allow us to energise the Distribution system at least 2 hours before 7 P.M. on the next day when such fault occures. The extra hours of supply which shall be indispensable for the said rectification shall be reported to you when such a contigency arises,

We have the honour to be
Sir,
your most obedient servant.

Sd. A.K.G.Bohari.
Manager,
The Bijapur Electric Supply Co.Ltd
Bijapur.

No. P.W.L.-863
Bijapur, 19th Sept. 1942.

Copy submitted to the Deputy Secretary to Government P.W.D. (Bombay).

2. There appears no objection to allow the license holder to run the machine on such occasions.

District Magistrate, Bijapur.

5945/36
22515

M.B. P.W.D.

Submitted.

2. This may first be rtd to C.E. to see if he has any remarks.

24/9/42

24/9

U.D. & El. Engr. d. 24-9-42

24 SEP 1942

ELECTRICAL BRANCH
TO GOVERNMENT
Inwd. No. 4093
26SEP 1942
File No. 4Gen 8
P. W. D., BOMBAY

PUBLIC WORKS DEPARTMENT
File No. 5945/36
22. SEP. 1942
Serial No. 22515

22515

Below U.O.R.No.5945/36/22515 dated the 24th September 1942, from Government in the Public Works Department.

No. Genl.8 2331 of 1942.

Bombay, 26th Septr., 1942.

Returned, with compliments.

2. The request of the Supply Company appears to be reasonable, and they may be allowed to run the engines when any defects in the supply system are to be rectified.

Electrical Engineer to Govt.

5945/36
22827

M.B. P.W.D.

Submitted

2. In view of the remarks of the Sl. Engr to Govt the draft may now be put up, if approved.

24/9/42.

24/9

PUBLIC WORKS DEPARTMENT
File No. 5945/36
26. SEP. 1942
Serial No. 22827

24/9

~~5~~ (1) 5945/36
22827

Letter.

No 5945/36 M

P.W.D.
B.C. 11th Sept 1942
30

To

The D. M., Bijapur.

Sub:— Hours of supply at Bijapur

Ref. Your P.O.L.-863, dated the 19th Sept 1942.

2. The supply cy may be allowed to run the ~~motor~~ vessels engines beyond the prescribed hours of supply when it is necessary to do so in order to rectify any defects in the supply system ~~will be rectified~~.

By order etc S/B.

Copy

5945/36
22827

68

for information to the El. Supt.
to deal with reference to
his no FRM. 8/2331, dated the
26th Sept. 1942.

28/9/42

29/9

29/9

24/9

O R D E R

No.P.C.L.863. :- In exercise of the powers conferred by clause(a) of Sub-rule (2) of rule 87 of the Defence of India Rules read with Government Notification H.D.(Political) War,No.J.D./1-3402 dated 19th December 1941,the District Magistrate,Bijapur is hereby pleased to allow to run the engines of the Bijapur Electric Supply Com. for short periods beyond the prescribed hours of supply laid down in this office No.P.C.L.863 of 1.2.1942,when it is necessary to do so in order to rectify any defects in the supply system.

District Magistrate,Bijapur.

Dated this 13th Oct.42

To:

The Electric Supply Com.Bijapur.
Copy to the Dist.Supdt.of Police,Bijapur w.c.
(ii) The President Municipality,Bijapur.
(iii) The Huzur Mamlatdar,Bijapur.

No.P.O.L.863.
Office of the District Magistrate,
Bijapur, 13th Oct.42

From:

R.G.Davies., Esquire., I.C.S.,
District Magistrate, Bijapur.

To:

The Deputy Secretary to Government,
P. W.D., Bombay.

Sir,

With reference to your No.5945/36-M of 30.9.1942, I have the honour to enclose herewith a copy of the order passed by me.

Your obedient servant,

RBK/13.

Dist.Magistrate, Bijapur.

5945/36
24419

M.B. P.W.D.

Submitted for information with reference to C.E. on p. 5-6 ante.

2. A copy of the order does not seem to have been endorsed to the Rl. engr. to enable the many thereon see these papers

17/10/42

Rec'd. 20 OCT 1942

PUBLIC WORKS DEPARTMENT
File No. 5945/36
15. OCT. 1942
Serial No. 24419

M.O. 16/10

15/10

15/10

M.S.
15-10-42

Below U.O.R.No.5945/36/24419 dated the 19th October 1942, from Government in the Public Works Department.

No. Rms/2765 of 1942.

Bombay, 20th October 1942.

Seen and returned, with compliments.

Electrical Engineer to Govt.

5945/36
24813

M.B.

P.W.D.

Record.

831
24/10/42

22/10

A.S

22/10



20-X-42

Government of India.

Department of Supply

Office of the Controller of Supplies

Shahibaug House; Wittet Road, Ballard Estate.

No.CS/24/38-2(16) Bombay, dated the 28th Sept., 1942.

From

The Controller of Supplies,

Bombay Circle,

To,

The Bijapur Electric Supply Co., Ltd., Bijapur.

Sirs,

Sub:- Diesel Oil.

With reference to your letter No.G-251, dated 2-8-1942 to the Electrical Commissioner with the Govt. of India, Calcutta, I have to inform you that you have been allotted 3½ tons of Diesel oil per month.

SD/- S.M.C. Pinto

For Controller of supplies.

Copy to:

* (1). The Electrical Commissioner with the Govt., of India, Calcutta.

* (2). The Electrical Engineer to Govt. of Bombay, Bombay.

(3). M/S. Burmah-Shell Oil Storage & Distributing Co., of India, Ltd. Bombay.

* Together with copy of M/S. Burmah-Shell's letter No.B/LFC. D/C dated 23-9-1942.

"True Copy"

MANAGER,
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.,
BIJAPUR.

The Bijapur Electric Supply Co. Ltd.

A. K. G. Bohari.
Managing Director.

No. G-436 of 194 2-43.

Bijapur, 9th October 1942.
M. S. M. Ry.

To,

The District Magistrate,
Bijapur.

Sir;

In enclosing a copy of letter No. CS/24/38-2(16), dated the 28th Sept., 1942, received from the Controller of Supplies Bombay Circle, we beg to bring to your kind notice the following facts:-

(1). The Controller has allotted for our undertaking only 3.5 tons of Diesel oil per month whereas we require 8.5 tons per month under the present restricted hours of supply from 7.P.M. to 1.A.M. This restriction has been recently imposed upon us in your letter No.P.O.L-863, dated 1st Sept., 1942. The present allotment proposed by the Controller will, it is feared be found to be miserably short in view of the present requirements.

(2). This small allotment will enable us to run our Power House for two hours only every day.

(3). In case, we are obliged to reduce our supply to two hours only, it will not be of any use to house-light consumers as they shall have to maintain kerosene lights for the rest of each night with the consequence that they shall automatically go in for discontinuance of electric connections.

Cinema Talkies and The Municipal Street lights shall also get no benefit from this restricted supply.

(4). In this way the two hours supply shall not at all be welcomed by all our consumers and thus we shall be forced by circumstances to stop our Power-House.

(5). There will be no street lights practically throughout the night with the result that the Police Dept., will find it very difficult to petrol the City and prevent the likelihood of thefts and such other offences.

(6). It would also be risky for the peaceful citizens of the City to carry on their business during the night time.

(7). The Cinema Talkies shall have to stop their business for want of electric energy as no Indian Film can finish its exhibition in two hours. The Citizens shall thus be deprived of such entertainments.

(8). So far as we know, such drastic restriction has not been imposed on any other District Town in the Presidency. In Karnatak, District Towns are allowed to run for 12 hours or even more and we are at a loss to know why we should be made an exception. We require only 1½ Tons of oil more than our present oil consumptions (8½ Tons) if we are allowed to run our Power House for 12 hours in a day. This will facilitate - lighting of Municipal Street Lights during the latter part of night i.e. 1.A.M. to 7.A.M.

Under all these circumstances, we shall feel obliged if you will be graciously pleased to consider the question in all its aspects enumerated above and to recommend for an increase in the quota to such an extent as will be adequate to cope with our requirements.

We beg to remain,

Sir,

Yours faithfully,

D.K. Z Bohaen

MANAGER,

THE BIJAPUR ELECTRIC SUPPLYCO. LTD.,

BIJAPUR.

Encl :- one.

Below letter No.P.C.436 of 9.10.1942 from the Supply Company Bijapur

---

No.P.C.L.863.

Bijapur, 22nd October 42

Submitted to the Deputy Secretary to Government P.W.D., Bombay.

2. The orders regarding the restricting the hours of supply to six hours have been brought into force at Bijapur from 29.8.1942. The Electric Supply Co. at Bijapur says that the allotment of crude oil now granted to the Company will enable it to run the power house for two hours a day only and that 8½ tons of oil will be required to run the engines for six hours. It is quite essential that the Company should supply the Electricity for six hours at least and the necessary quantity of oil may be allotted to the Company after ascertaining from the Electrical Inspector the exact consumption of the oil under the restricted hours. orders in anticipation of such verification may kindly be passed by return.

RBK/22.

District Magistrate, Bijapur

Secy. Rose.

Elec. Engr. remarks

8/26/42

W.E. ✓

2. O. & El. Engr. Report, d. 22-10-42

ELECTRICAL ENGINEER
GOVERNMENT
Rcvd. 6019
2 DEC 1942
File No. Law 8
P. W. D., BOMBAY

8/24/10

PUBLIC WORKS DEPARTMENT
File No. 5945/36
24. OCT. 1942
Serial No. 25299

26/10

24

Below U.O.R.No.5945/36/25299 dated the 27th October 1942, from Government in the Public Works Department.

=====

No. Genl/ 5583 of 1942.

Bombay, 18 December 1942.

Returned, with compliments.

2. The case of the Bijapur Electric Supply Co.Ltd. has been looked into by the Electric Inspector, Bombay Province, and the Controller of Supplies has been requested to increase their quota of diesel oil from 3-1/2 tons to 8 tons per month.

Electrical Engineer to Govt.

P. .

5945/36
28091

Secy. Hon.

2/12/42.

Inform. D.M. accordingly

2/12

M.B.

Resubmitted with necessary P.M.O.D

for appl.

3/12/42

3/12

2/12



5945/36
28091

Letter.

P. W. D.

No 5945/36 M. B.C. 4th Decr 19

To

The D.M., Bijapur.

Sub:— Rationing of diesel oil supply: The Bijapur Electric Supply Coy, Ltd.

Your memo no 7 P.O.L. 863, dated the 22nd Octr 1942.

2. The case of the Bijapur Electric Supply Coy. Ltd. has been looked into by the Electric Supdt. Bijapur Division and the Controller of Supplies has been requested to increase the Coy's quota of diesel oil from

94T/36
28091

3½ lms to 8 lms fpm.

By order of the S.F.B.

Copy for information to the Pl. Engr to end with reference to his no PRM 8/3583 dated the 1-12-42.

534
3/12/42

No.M.C.L.863.
Camp:Lippargi,13.1.1943.

Application from the President Municipal Borough,Bijapur and the Dist.Supdt.of police Re endorsement there under.

O R D E R.

In exercise of the powers conferred by clause (a) of sub-rule (2) of Rule 81 of the Defence of India Rules read with Government Notification H.D.(Political) War No.D.W./W.3401 dated 19th December 1941,the District Magistrate,Bijapur is pleased to accord permission to the Bijapur Electric Supply Co.to give to the Municipality beyond the present maxm hours of supply the usual lighting programme agreed upon between the Municipality and the Electric Supply Company for the nights between 14th and 16th January both days inclusive on account of Moharrum celebrations.

Dist.Magistrate,Bijapur.

Rc:

The Bijapur Electric Supply Company,Bijapur.
Copy w.c.s to the President Municipal Borough,Bijapur.
Copy w.c.s to the D.S.P.Bijapur.
The Huzur Dy.Collector.
Copy submitted to the Dy.Secretary to Government,P.W.D.Bombay
Copy w.c.s to the Electrical Engineer,to Government Bombay.

5945/36
1107

M.B. P.W.D.

Submitted for information.

2. The Bijapur electric supply Coy is classed 'D' permitting 6 hours supply. The hours of supply are fixed by the D.M. at present are from 7 p.m. to 1 A.m.

3 Normally the D.M. should have consulted Govt before issuing the order overleaf as it permits supply beyond the hours fixed by Govt. It is for consideration whether this need be brought to the notice of the D.M.

dy 19/1/43

I hardly think this necessary, consider we always can recall D.M's sanction. Govt. entitled to information of order issued.

PUBLIC WORKS DEPARTMENT
File No. 5945/36
15. JAN. 1943
Ser 1107

mb 16/1

MB
15-1-43

MB 15/1

No. [illegible]
Office of the District [illegible]
Bijapur, 15th March [illegible].

O R D E R.

In exercise [illegible] clause (a) of sub-rule (1) of rule [illegible] and [illegible] read with Government notification [illegible] (Local-Tax) No. S.D/T-3401 dated 10th December 54 the District Magistrate, Bijapur hereby directs that with effect from 16th March 1963 the Bijapur Electric Supply Company, Bijapur shall not supply electrical energy [illegible] 11 a.m. to any person without the permission of the District Magistrate. It is further ordered that street lights shall not be affected during moon-lit nights.

By Order,
District Magistrate, Bijapur.

To
The Electric Supply Company, Bijapur.

Copy to:
1. The President, Taluk Development Board, Bijapur.
2. The District Superintendent of Police, Bijapur.
3. The Huzur Deputy Collector of Bijapur.

Letter.

No. P.D.T.863
Office of the Dist.Magistrate,
Bijapur, 13th March 1948.

To

The Deputy Secretary to Government,
Home Department, Bombay.

I have the honour to report that in accordance with Government orders P. & D.Dept.No.1932/36-A of 24th August 1948 orders were passed under rule 81(2)(a) of the Defence of India Rules restricting the hours of supply of electricity for six hours in a day for Bijapur City and these orders are in force since 29th August 1948, and for this period the Company is supplied with 8 tons of diesel oil per month as the load is the highest during this period.

Now the hot season has set in already and the District Judge and other District Officers and the public have represented that fans are quite necessary. The District Superintendent of Police has reported that street lights are necessary to facilitate the police night rounds at least upto 5 a.m. according to the new time in view of the Congress activities and famine conditions.

The supply Company was consulted in the matter as regards the extra oil required by them and they say that they will require in all 10½ tons of diesel oil per month for supplying the energy between 11 a.m. and 4-30 a.m. as the load is comparatively less for the extra hours.

I have asked the Supply Company to supply the energy in anticipation of Government sanction and request you to kindly approve the action taken in the matter early, for a period upto the end of

911/36
5924

June when the daylight supply will be stopped again. Orders passed by me are submitted for confirmation.

District Magistrate, Bijapur.

M.B.

Submitted.

2. The Bijapur Electric supply co is classed 'D' permitting six hours supply. The original retained allotment of diesel oil to the co was 3½ tons pm. It was subsequently raised to 8 tons pm. on investigation.

3. For the reasons given in paras 2 & 3 of his letter the D.M. Bijapur has issued an order permitting the supply co to give supply for 17½ hours; this order is retained to be operative upto the end of June 1943 when the D.M. says the

P.W.D.

PUBLIC WORKS DEPARTMENT
File No. 5945/36
16. MAR. 1943
Serial No. 5924

9/16/3

M.M. 17/3

5945/36
5924

day light subsidy will be stopped again. The D.M. has issued this order in anticipation of govt sanction which he now requests. G.I. No 1932/36 M. of the 24th Aug 1942 authorised the D.Ms to fix the hours of subsidy according to the classification made by govt and to alter the actual hours of subsidy within the classification permitted by govt to suit local conditions. It did not authorise the D.Ms to extend the total hours of work. The D.M. in this case should first have obtained the order of Government in anticipation of such sanction.

4. It is for consideration whether the D.M's action may be confirmed in the circumstances stated by him and the Govt of increase should to a

5945/36
5924.

be made in the present quota of coal of the subsidy coy. The reason to Sri 'A' would be common everywhere & any increase in the prescribed hours of subsidy on that account would lead to similar requests from other towns where subsidy is restricted at present for six hours only.

SM
20/3/43

Before the papers are referred to the Elec. Engr the H. O. may be requested to state if the reasons given at "B" on page 9/ are to be taken as essential ones for extension of the subsidy hours & reasons at "A" are applicable to every

DS

5943/34/3704

District Town, having an electric supply. Electric fans are desirable, no doubt, but can they be regarded as essential /

2/ Night sounds of Dakis do not need electricity as Moon-lit nights in any case. 23/3/43

3/ The Collector's order may not be upheld, it is submitted

23/3

We will have to allow power for fans during the hot weather in such places as Bijapur Belgaum etc. It is only for two or three months. D.C. should not have anticipated Govt sanction however. El Engr should see for remarks

CA
24/3

U.O ✓

to Elec Engr to Govt

d. 26-3-43

ELECTRICAL ENGINEER
TO GOVERNMENT.
Inwd. No. 9001
27 MAR 1943
File No. 1 Item 8

24/3

Returned with compliments.

2. I agree with the Secretary's note and suggest that the hours of supply be increased only for the hot weather, i.e. upto end of May 1943. The Supply Company may be allowed one additional ton of diesel oil, and the Controller of Supplies, Bombay, will be requested to increase the present quota of eight tons to nine tons to the end of May 1943.

Electrical Engineer to Govt.

No. Genl/ 5532 Dated 27th March 43

PUBLIC WORKS DEPARTMENT
File No. 5745/42
27. MAR 1943
Serial No. 6768

Copy of letter No. 872 of 1943 dated 19th March 1943 from the Civil Surgeon, Bijapur to the Collector of Bijapur.

Subject:- Electric Lights.

" I have the honour to state that the provision of Electric current from 12 noon onwards has been a great boon to the staff as well as to the patients in the operation theatre. The operation theatre is situated exposed to the wind and it is not possible to keep the windows open during operation with the result that a very stuffy atmosphere is very soon produced which is detrimental both to the staff and patients. Further electric light is necessary during an operation as day light does not penetrate into close places opened up by operation.

2. Similarly electric light is also required for operation on the eye and also for the examination of patients in the dark room.

3. Electric current is also required for giving ultra violet treatment to patients.

4. Under the circumstances, I would earnestly request that the provision of Electric current from 12 onwards may please be continued. "

No.P.O.L.-863.
Bijapur, 23rd March 1943.

Copy submitted to the Deputy Secretary to Govt. P.W.D. in continuation of this office No. P.O.L.-863 of 13th March 1943 for favour of information and early approval of the proposals.

H. District Magistrate, Bijapur.

5945/36
6531 & 6768

M.B. P.W.D.

Submitted with reference to this enquiry note, of MB 24.3.43.

2. The Sl. engrs remarks are as in - ante. The draft letter as may also, if agd

29/3/43

8/31/3

8/25/3 MB 25/3

PUBLIC WORKS DEPARTMENT
File No. 5945/36
25. MAR. 1943
Serial No. 6531

5945/36.

Letter.

No.5945/36-M. P. W. D.

B.C., 6th April 43.

To

The D.M., Bijapur.

Sub:- Hours of Supply: The Bijapur El. Supply Co. Ltd.

.....

Ref:Your letter No.P.O.L.863, d/- the 13th March 1943 & subsequent memo d/- the 23rd March 1943.

2. Your order No. P.O.L.863, d/- the 13-3-43 reg. hours of supply at Bijapur is confirmed for the period of the hot weather i.e. upto the end of May 1943; thereafter the supply should be restored for six hours as before.

3. I am to point out that G.L.No.1932/36-M, d/- the 24-8-42 did not authorise you to extend the hours of supply beyond those permitted under the classification made by Govt.-

5945/36.

Govt.; the order refd. to in the preceding para. should not therefore have been issued in anticipation of Govt. sanction.

4. Govt. considers that one ton of diesel oil per month in addition to the present quota of 8 tons per month is sufficient to meet the needs of the coy. in consequence of the increase in the hours of supply. The Controller of Supplies is accordingly being requested to raise the present quota of the coy. to 9 tons per month upto the month of May 1943 (inclusive).

By order etc.,

D.A.-Nil.

7/4

Copy to the El. Engr. to Govt. (with ref. to his No.LRM.8/5532; d/- the 27-3-43) for information and necy. action with ref. to para.4 above.

VR.29/3.

31/3/43

8/31/3/43

5/4

Copy of letter No.CS/2A/33-2(16), dated the 16th April 1943, from the Controller of Supplies, Bombay Circle, Bombay, to Messrs. Burmah Shell Oil Storage & Distributing Co. of India Ltd., Bombay.

Sub: Diesel Oil to the Bijapur Electric Supply Company, Bijapur.

.....

In continuation of my letter of even No.dated 5-12-42, I have to state that the quota of Diesel Oil to the above concern may please be increased from 8 tons to 9 tons per month for April and May 1943. You may please instruct your agents accordingly.

..... L Rm 8.

No. 454 of 1943.
Bombay, 27th April 1943.

Copy forwarded, with compliments, to the Secretary to Government, Public Works Department, Bombay, for information with reference to this office No.LRM-8/ 5532, dated 27-3-1943.

Electrical Engineer to Govt.

5945/36
9063

M.B.

P.W.D.

Submitted for information with reference to para 4 of P 99 of G.S. of the 6.4.43.

Record.

29/4



No.P.O.L.-863.
Bijapur, 18th May 1943.

Read:- W.C.S. -9
Government letter No. 5945/36-M of 6-4-1943.

O R D E R.

In modification of this office No. P.O.L.-863 of 13th March 1943 and in exercise of the powers conferred by clause (a) of sub-rule (2) of rule 81 of the Defence of India Rules read with Government Notification H. .(Political)-war No. S.B./W-3401 dated 15th December 1941, the District Magistrate, Bijapur is hereby directs that with effect from 1st June 1943, the Bijapur Electric Supply Company, Bijapur shall not supply electrical energy between the hours of 1 A.M. and 7 P.M. to any person without the special permission of the District Magistrate.

Additional District Magistrate, Bijapur.

To

The Bijapur Electric Supply Co., for information.
The Dist. Superintendent of Police, Bijapur w.cs.
The President, Municipality, Bijapur.
The Huzur Deputy Collector of Bijapur.
The Civil Surgeon, Bijapur w.cs.

H.

೨೩ – ೨ – ೩೮

Collector of Bijapur

ದ್ವಿತೀಯ ಪ್ರಕಟನೆ

ಬಾಗಲಕೋಟ ಮುನಸಿಪಲ್ ಏರಿಯಾ.

× ಈ ಚಿನ್ಹವಿದ್ದ ಜನರು ಇನಕಮ್ ಟ್ಯಾಕ್ಸ ಕೊಡುವವರು ಇರುತ್ತಾರೆ.

ನಂ.	ಮತದಾರರ ಹೆಸರು	ನಂ.	ಮತದಾರರ ಹೆಸರು.
	ವಾರ್ಡ ನಂಬರ ೧		**ವಾರ್ಡ ನಂಬರ ೩**
೧	ಖಾಜಾಮನಸೂರ ವ|| ಜ್ಯಾನಅಹಮ್ಮದ ಕಂಟ್ರಾಟದಾರ ×	೧	ಅಹಮ್ಮದಸಾಹೇಬ ವ|| ವಲ್ಲಿಮಹಮ್ಮದಸಾಹೇಬ ಜರತಾರಗಾರ
	ವಾರ್ಡ ನಂಬರ ೨		**ವಾರ್ಡ ನಂಬರ ೪**
೧	ಖಾದೀರಸಾಹೇಬ ಅಹಮ್ಮದಸಾಹೇಬ ಕೊಲ್ಹಾಪೂರ ×	೧	ಗುಲಾಬಜಾನ್ ಕೊಣ್ಣೂರ (ಹೆ)
೨	ವಲ್ಲೀಮಹಮ್ಮದ ಹಾಜೀದಾವುದ ಈಶೆವಾಡ ×		

ವಿಜಾಪೂರ
೨೩ – ೨ – ೩೮

T. T. Kothavala.

Collector of Bijapur

Letter.

To

The Deputy Secretary to Government,
P.W.D. Bombay.

No.P.O.L.-863. Bijapur, 20th May 1943.

With reference to your No. 5945/36-M of 6th April 1943 I have the honour to state that orders restoring the supply to 6 hours from 1-6-1943 have been passed as directed by you and a copy of the order has been enclosed for perusal.

The District Superintendent of Police has reported - that street lights are necessary to facilitate the Police night round at least upto 5 A.M. according to the new time excluding moonlit nights from 7th to 17th of the lunar half of the month in view of the Congress activities and famine conditions prevailing in the district. I understand that a supply beyond six hours is allowed in other district places like Dharwar etc., and even in taluka places also. I think that in the interest of public safety it is necessary to - allow supply at least upto 5 A.M. as the most suitable time for the activities of the bad characters would be between 1 A.M. and 5 A.M. when nobody is expected to move out. Besides this, the quota of kerosene oil has been considerably reduced by all oil concerns. Under these circumstances, it is requested to give approval to supply energy also between 1 A.M. and 5 A.M.

Additional District Magistrate, Bijapur

H.

MB 25/5

PUBLIC WORKS DEPARTMENT
File No. 5945/36
25. MAY 1943
Serial No. 11755

Under these circumstances, I shall feel highly obliged if you will be graciously pleased to consider all the facts as stated above and recommend to Government for granting us permission to run our Power House for 12 hours in the night with effect from the 1st of June 1943."

No.P.C.L.-863.
Bijapur, 23rd May 1943.

Copy submitted to the Deputy Secretary to Government, P.W.D. in continuation of this office No. P.C.L.-863 of 20th May 1943. P 104

2. Proposals to permit supply between 7 P.M. and 5 A.M. may kindly be approved as already requested.

Additional District Magistrate,
Bijapur.

H.

PUBLIC WORKS DEPARTMENT
File No. 5945/36
25 MAY 1943
Serial No. 11755

Copy of letter No. G-175 dated 22d May 1943 from the Manag[er] The Bijapur Electric Supply Co., Ltd., Bijapur to the District Magistrate, Bijapur.

Subject:- Restricted hours of supply.

P 102

" In obedience to your No. P.O.L.-863 dated the 18th inst. we shall execute your orders with effect from 1st June 1943. However, we may be allowed to bring the following facts to your kind notice:-

(1) That at present we understand that almost all the Supply Companies for instance, Gadag, Dharwar, Belgaum &c., who generate their supply by Diesel oil in the Karnatak, are allowed to run their Power Houses for 12 hours every day. We are therefore at a loss to know why we should be made an exception.

(2) That this place being a District City, the supply for twelve hours is all the more necessary than in any other smaller towns.

(3) During the last two months, we had to run our Power House during the day-time also, notwithstanding the fact that no profitable income was derived when compared to the consumption of oils, wear and tear of the plant and other expenditure.

(4) Even during the aforesaid time, we were not supplied with extra allotment of oils as requisitioned.

(5) The Controller of Supplies has sanctioned 5 Tons of Diesel Oil per month upto the 1st of June 1943 only. If the same supply of oil is continued to us, we will try our level best to run our Power House for 12 hours during the night. In case this proposal is kindly accepted, no transport arrangement shall have to be further made in addition as the one now in force will have to be --

continued.---

5945/36
11755.

P. W. D.

Submitted (with S. no 11755) with reference to G. L. no 5945/36 dt. the 6. 4. 43, and the proceedings underlying it.

2. The D. M., Bijapur, has issued an order restricting supply for six hours by the Bijapur Electricity Co. with effect from the 1st June 1943. For the reasons given in his letter on p[illegible] and the D. M., requests that addl may be given to supply energy for four hours, i.e. between 1 Am & 5 Am. In other words the proposal is to permit supply of energy for 10 hours instead of for six hours. He is also invited to the subsequent communication from the D. C.

3. The original hours of supply of electricity by the Ely undertakings at Dharwar & Gadag were 12½ and 6 hours respectively. In view of the political situation at those places the D. M., Dharwar, has been permitting such extn last to allow those undertakings to supply energy for 15 & 11 hours respectively till such time there is improvement in the local political situation. At Belgaum the supply is allowed for 24 hours since the beginning as the is classed 'A' in view of the importance

1. the load.

It is proposed by the D. S

at a previous stage of the case the H.D. may perhaps be requested u.o.r. to state whether the reasons now given by the D.M., Bijapur, may be taken as essential ones for the proposed excision in the limits of sub-city of Bijapur.

431
31/5/43

9
31/5/43

x/
U.O.R. to the H.D. of 1st June ~~May~~ 1943.

x with loose papers bearing file No. 1932/36 900.

Home Deptt:

The I.G.P. may see u.o. for remarks with refce. to 'A' of the foregoing P.W.D. note and 'B' & 'C' of the D.M's. letter at p. 104.

8.6.43

8.6.
3/6/43

U.S.

U.O.R. No 28 A.
dt. 8-6-43.

H[illegible] DEPARTMENT
Y
1943
1468

u.o.r. to the I.G.P. d. 4/6/43
(with loose P.W.D. papers No. 1932/36 900.)

HOME DEPARTMENT
File No. X/1468
18. JUN. 1943
Serial No. 1655

Below H.D. U.O.R., d/- 4-6-43, in the P.W.D. File No:5945/36.

Office of the I.G. Police.

The I.G. agrees with the D.M. that it would be a desirable facility to have street lighting up to 5 A.M. on other than moonlight nights.

For I. G. of Police.

U.O.R. No:28-A, dated 15th June 1943, to the Secy., H.D. (with loose P.W.D. papers No:1932/36).

900

Aga.

Home Deptt.

Submd. with refce. to our note dt. 3.6.43 on prec page.

These papers may now be returned no. to the P.W.D. with the remark that this Deptt. concurs with the view expressed by the I.G.P. in his foregoing note as regards the proposal to extend the hours of electric supply at Bijapur.

19/6

U.O.R. to the P.W.D. d. 19/6/43
(with loose Pp. bearing No. 1932/36-900)

U.S.

d 19.6.43 21/6/43


PUBLIC WORKS DEPARTMENT
File No. 5945/36
22. JUN 1943
Serial No.

Letter.

To

The Deputy Secretary to Government,
P.W.L. Bombay.

No. P.O.L.-863. Bijapur, 17th June 1943.

Subject:- Hours of supply of electrical energy at Bijapur.

In continuation of this office No. P.O.L.-863 of 20th May 1943, I have the honour to report that according to your letter No. 5945/36-M of 6th April 1943, orders were passed by me restricting the hours of supply to 6 hours from June, 1st and had also sought for sanction in my previous letter to allow to extend the hours of supply upto 5 A.M. in the morning for the convenience of the Police in the dark nights. Now two Cinema theatre owners have represented that they are exhibiting war propaganda slides and tonicals at the sacrifice of much of their time and that they require more than 6 hours, so necessary approval may kindly be given to relax the time upto 5 A.M. to facilitate the Police rounds, and also for the convenience of the cinema theatres as they are helping in the war-efforts by showing war topicals etc.,

District Magistrate, Bijapur.

H.

5945/36
14927.

M.B. P.W.D.

Submitted with reference to the
D.M.'s No. 4410 B. 1-7 dtd 31-5-43. p 110

2. The S. P. of Police agrees with the D. M., Bijapur, that it would be a desirable facility to have street lighting upto 5 A.M. on other than moon light nights. The H.D. concurs in the view expressed by the S. P. Please see also the further letter overleaf from the D. M.

3. The sanction of grant of diesel oil for this subsidy expires with six hours' p 11
subsidy is 8 hours per. It was increased
to 9 hours during the period

8/21/6

MB 22

WORKS DEPARTMENT
File No. 5945/36
21. JUN. 1943
Serial No. 14927

5945/36

14827

it was permitted to give 17½ hours' [illegible] subsidy. From the subsidy cy's letter to the D.M. - item (5) - it seems that the cy can give 12 hours' subsidy in the present 9 hours turn. The D.M.'s recommendation is to permit subsidy for 10 hours instead of the six hours at present. If the cy can give subsidy for 10 hours within the present 8 hours turn there would be no objection to permit the cy accordingly. The papers may therefore be retd H.O. to the H. Sup. to ext. with a request to state whether the cy can give 10 hours subsidy, as proposed by the D.M., within the present 8 hours turn. and if

I think so, as in the case of Rander.

9/2/36

5945/36
14927

not whether in view of the
position of the stock of diesel oil
he would advise the acceptance
of the ... recommendation

ELECTRICAL ENGINEER
TO GOVERNMENT
Lowd. No. 2462
2 JUL 1943
File No. Lem 8
P. W. D., BOMBAY

421
28/6/43

8
2/9/6

D. ✓

xmit file 1932/36
4934.

Sec. of S. for War, 6th Ele. Lucas 6th Genl. of 15th July
1943.

Below U.O.R.No.5945/36/1492 dated the 1st July 1943, from Governme the Public Works Department.

No. Elec 8/1504 of 1943.

Bombay, 2nd July 1943.

Returned, with compliments.

2. The District Magistrate may be asked to allow the Supply Company to give 10 hours supply within the present quota of 8 tons of diesel oil. On receipt of the monthly returns for the months of July and August, the consumption of oil will be reviewed, and if any additional quantity of diesel oil is found necessary, the Controller of Supplies will be approac -ed in the matter.

Electrical Engineer to Govt.

P.

5945/36
16408

M.B.

P.W.D. → Pl. see p 104 et. seq ante.

Submitted with reference to the notes on pp 113-115 ante.

2. In view of the El. Engr's remarks overleaf the draft Sanct up may issue, if approved.

5/7/43

5/7/43

D.S.

5/7/43

PUBLIC WORKS DEPARTMENT
File No 5945/36
-2. JUL. 1943
16408

5945/36/16408.

No.5945/36-W P. W. D.

B.C., 8th July 1943.

To

The D. M., Bijapur.

Sub: Hours of supply:
The Bijapur Electric
Supply Coy., Limited.

Reference correspondence ending with your letter No. P.O.L.-863, dated the 17th June 1943.

2. The Bijapur Electric Supply Coy. may be permitted to give supply for 10 hours, as proposed, within the present quota of 8 tons of diesel oil p.m. This quota will be reviewed on receipt by the El. Engr. to Govt. of the Coy's returns reg: consumption of diesel oil for the months of July and ....

5945/36/16408.

and Aug 1943 and if any addnl. quantity of diesel oil is found necessary the Controller of Supplies will be approached in the matter.

By order of the G. of B.

Copy to the El. Engr. to Govt. for information with reference to his No. IRM 8/1504, dated the 2nd July 1943.

5/7/43

5/7/43

6/7/43

Sp. 5/7

Urgent Please. Letter.

To

The Deputy Secretary to Government,
P.W.D. Bombay.

No. P.O.L.-863. Bijapur, 23rd July 1943.

Subject:- Hours of supply.
The Bijapur Electric Supply Company.

With reference to your letter No. 5945/36-M of 8th July 1943, I have the honour to request you kindly to accord sanction to allow the Bijapur Electric Supply Company to increase the hours of supply to 12 hours instead of 10 hours now sanctioned by Government for the reasons given below; ~~the supply may be given for 12 hours~~.

1. On account of famine many starving people have migrated to Bijapur for work and remain out in shelter or huts without municipal lights and they are helpless.

2. On account of immigration of starving people darkness from 1 A.M. to sunrise facilitates crime.

3. On account of there being not many trade and industrial connections, unless the power is given to the Municipality for 12 hours and they made to pay for this lighting, the company cannot make the supply remunerative unless the rates are raised from 6 to 9 annas a unit - a big rise and a high rate.

4. The two most important trains for long distance travel, arrive in Bijapur after 1 A.M. and so both incoming and outgoing passengers are put to inconveniences in darkened streets and darkened hourses.

5. The extra oil required to raise lighting time from 7 to 12 is only about 2 tons which is not much for an extension of 5 hours each night.

6. There will be some countervail saving in the comsumption of kerosene in Bijapur.

7. The company has agreed to keep the rates for comsumption of energy for domestic pruposes at 8 annas a unit if the period of lighting is extended to 12 hours.

Early orders are solicited in the matter as the company intends to levy 9 annas per unit for the present hours of supply.

District Magistrate, Bijapur.

H.

Urgent Please. Letter.

To

The Deputy Secretary to Government,
P.W.D. Bombay.

No. P.O.L.-863. Bijapur, 23rd July 1943.

Subject:- Hours of supply.
The Bijapur Electric Supply Company.

With reference to your letter No. 5945/36-M of 8th July 1943, I have the honour to request you kindly to accord sanction to allow the Bijapur Electric Supply Company to increase the hours of supply to 12 hours instead of 10 hours now sanctioned by Government for the reasons given below.

1. On account of famine many starving people have migrated to Bijapur for work and remain out in shelter or huts without municipal lights as they are helpless.

2. On account of immigration of starving people darkness from 1 A.M. to sunrise facilitates crime.

3. On account of there being not many trade and industrial connections, unless the power is given to the Municipality for 12 hours and they made to pay for this lighting, the company cannot make the supply remunerative unless the rates are raised from 6 to 9 annas a unit - a big rise and a high rate.

4. The two most important trains for long distance travel, arrive in Bijapur after 1 A.M. and so both incoming and outgoing passengers are put to inconveniences in darkened streets and darkened hourses.

5. The extra oil required to raise lighting time from 7 to 12 is only about 2 tons which is not much for an extension of 5 hours each night.

6. There will be some countervail saving in the comsumption of kerosene in Bijapur.

7. The company has agreed to keep the rates for comsumption of energy for domestic pruposes at 8 annas a unit if the period of lighting is extended to 12 hours.

Early orders are solicited in the matter as the company intends to levy 9 annas per unit for the present hours of supply.

District Magistrate, Bijapur.

H.

M.B.

P.W.D. Wb 118-119

Submitted with reference to P.W.D. Wb 113-116 dt 8-7-43 and the proceedings underlying it.

2. The papers may be retd. u.o. to the Dist. Engr to call for his remarks on the D.M's proposal with special reference to his remarks in para 4 of his letter.

26/7/43 Dist. Engr. Bijapur 27/7 July 1943

PUBLIC WORKS DEPARTMENT
File No. 5945/36
26. JUL. 1943
Serial No. 1922

ELECTRICAL ENGINEER TO GOVERNMENT
Inward No. 3141
27 JUL 1943
File No. Lem 8 time
P. W. D., BOMBAY

D.S.

9/7/43 m/B 36/7.

i c.

Below U.O.R.No.5945/36/19226
dated the 27th July 1943, from Government
in the Public Works Department.

No. Elec 8/ 1929 of 1943.

Bombay, the 27th July 1943.

Returned, with compliments.

2. The Company's quota for the months of April and May was 11 tons per month; only 10-1/2 tons were consumed in each month. The quota for June was 8 tons and 7-1/2 tons were used. It is suggested that the quota of 8 tons may be increased to 10 tons. The consumption will be checked each month, and should an increase in the quota be necessary, Government will be informed.

3. The hours of supply may be increased to 12. It is suggested that on moonlight nights the Municipal lights be switched off in accordance with the usual moonlight schedule.

Electrical Engineer to Govt.

P.

5945/36
19593

M.B.

P.W.D.

Submitted with reference to the letter from the D.M., Bijapur, & the O.N. on pp 122-123 ante.

2. The hours of curfew may be increased to 12 hours as requested by the D.M. with reference to the suggestion of the Ll. engr. to govt in para 3 of his note overleaf it is observed that in accordance with the D.M's order no T.O.L. dated the 26-10-42, issued in pursuance of the instructions in G.C. no 1932/36 M. of the 26-10-42, street lights are not switched on at night from the 7th to 17th day of the lunar months. In order however to make the matter clear the D.M. is being informed in the proposed draft that the restrictions imposed by his order regd to should remain in force.

3. With reference to the Ll. engr's

Mr J

Secy B
File 1932/36/IV
p 25
₹ - 00
p 5
28/7 mB 28/7

PUBLIC WORKS DEPARTMENT
File No. 5945/36
28. JUL. 1943
Serial 19593

5945/36
19593

remarks reg: the quota for the months of April & May in para 2 of this note p 124 it is observed that the quota originally allotted for those months was a lower figure but it seems to have been subsequently raised to 11 lower figure by the Controller of Supplies on the advice of the Rl. Engrs to get on the basis of the previous consumption.

4. The draft put up may issue, if approved.

29/7/43

30/7

Attention is invited to pages 91 to 96 ante. in particular.

30/7

DS

Scan

5945/36
19593

No 5945/36 M.

P.W.D. 149
B.C. 3 1943

To

The D.M., Bijapur.

Sub:— Hours of Supply: The Bijapur Electric Supply Coy, Ltd.

P 122

Reference your letter no P.O.L. 863, dated the 23rd July 1943.

2. Your proposal to permit the Bijapur Electric Supply Coy to give supply for 12 hours is sanctioned subject to the restrictions, mentioned in your order no P.O.L. of the 20th Oct 1942 remaining in force.

3. The Controller of Supplies is being advised to increase the present

5945/36
19593

grade of 8 hrs of diesel oil p.m. of this stockist certificate copy to 10 hrs subsequent from. subject to such alterations as may be necessary on the basis of the actual consumption of the oil.

By order of the Govt.B.

copy to the Pl. Regr to Govt (with reference to this no P124 RRM-8/1929, dt the 27-7-43) for information & necessary action with reference to para 3 above.

ISSUED
On 4/8/43

521
29/7/43

8/30/7

31/7/43

DS

Secy

130

No. Genl/2119 of 1943.
P.W.D.Offices, Churchgate Street,
Fort, Bombay, 6th August 1943.

Letter.

To

The Controller of Supplies,
Bombay Circle, Bombay.

Re:- Diesel Oil Supplies to the Bijapur Electric Supply Co., Ltd., Bijapur.

The Government of Bombay in the Public Works Department have instructed the District Magistrate, Bijapur, to permit the Bijapur Electric Supply Co., Ltd., Bijapur, to give supply for 12 hours. The present quota of diesel oil allowed to the Company is 8 tons per month. It is requested that this quota be increased to 10 tons per month from 1st August 1943; when the actual consumption has been reviewed, if any alterations are necessary, I will duly inform you.

Electrical Engineer to Govt.

P. 21[illegible]

Copy forwarded, with compliments, to the Secretary to Government, Public Works Department, Bombay, for information with reference to Government endorsement No.5945/36-M, dated the 3rd August 1943.

5945/36
20815

M.B. P.W.D.

Submitted for information with reference to G.O. at the end on the 12th instant.

2. Receipt of the D.M's orders permitting 12 hours supply may be awaited.

7/8/43
7/8

9/9/8

Dinesh
(5-9-43)

D.S ✓

PUBLIC WORKS ... DEPTT.
File No 5945/36
6. AUG. 1943
No. 20815

DMB 7/8.

Subject:- Restriction in the use of electricity.

No. P.O.L.
Bijapur, 18-9-1943.

O R D E R.

In exercise of the powers conferred by clause (a) of sub-rule (2) of rule 81 of the Defence of India Rules, the District - Magistrate, Bijapur is pleased to modify the restriction No. (ii) (c) imposed in this office order No. P.O.L. dated 26-10-42 as under:

"(ii)(c) No street lights shall be switched on at night from the 14th to the 18th day (both days inclusive) of the lunar months."

+ Slip B
File 1932/36/I
p.25

Sd. E.R.Evans.

District Magistrate, Bijapur.

To

The Bijapur Electric Supply, Co., Bijapur.

H. Copy to:-

1. The Dist. Superintendent of Police, Bijapur w.cs.
2. The President, Municipality, Bijapur w.cs.
3. The Huzur Deputy Collector, Bijapur for giving wide publicity of the orders.
4. Copy w.cs. to the Editors of Navakarnatak and Karnatak Vaibhav Bijapur for favour of publishing it as a piece of news.

District Magistrate, Bijapur.

H.

ತಾಲೂಕ ಹುನಗುಂದ, ಹುನ

ವಿಜಾಪೂರ ಜಿಲ್ಲಾ ಲೋಕಲ ಬೋರ್ಡ ಮತದಾರ ಪತ್ರಿಕೆಯ

ಗ್ರಾಮ	ಹೊಸದಾಗಿ ದಾಖಲ ಮಾಡತಕ್ಕ ಮತದಾರ ಹೆಸರು ಮತ್ತು ಆ ಗ್ರಾಮದ ಮತದಾರ ಪತ್ರಿಕೆಯ ಪ್ರಕಾರ ಅನುಕ್ರಮ ನಂಬರು	ದುರಸ್ತ ಮ ಈ ಮೊದಲೇ ಪ್ರಸಿದ್ಧ ಆದ ಮತದಾರರ ಹ ಪ್ರಕಾರ ತಪ್ಪು ಇದ್ದ ಹೆಸರು ಮತ್ತು ಆ ಗ್ರಾ ಮತದಾರ ಪತ್ರಿಕೆಯ ಪ್ರಕಾರ ಅನುಕ್ರಮ ನ
೧	೨	೩
೫೩ ರಾಮು ವಾಡಗಿ		೪ ಖಾದೀರಸಾ ಹಾಶೀಮಸಾ ಮಾಳ್ಗಿ
೫೬ ಹುನಗುಂದ		೧೬ ಜಾಫರಸಾ ಇಸ್ಮಾಯಿಲಸಾ ಧನ್ನೂ
೧೬೧ಬೂದಿಹಾಳ ಸಮ್ಮತಕಮತಗಿ		೩ ರಾಜೇಸಾ ಜಯೀ ಛಪ್ಪರಬಂದ

Bijapur
20—11—38

Letter.

To

The Deputy Secretary to Government,
P.W.D., Bombay.

No. P.O.L.-863. Bijapur, 18th September 1943.

Subject:- Restriction in the use of electricity.

I have the honour to state that the restriction No. (ii)(c) imposed in this office order No. P.O.L. dated - 26-10-1942 is modified as all important trains come to Bijapur between 1 and 4 A.M. and thefts are also likely to occur during that period. A copy of the order is enclosed. The - Bijapur Electric Supply Company which is permitted to give - supply of energy for 12 hours, has agreed to supply energy with the present quota of 10 tons of Diesel Oil already -- sanctioned to it during the changed period.

Stab B
F.D. 1932/36/IV
p 25
p 132 and

District Magistrate, Bijapur.

H.

5945/36
25897

Pl. 13v.

P.W.D.

Submitted for information with reference to G.O. (Ms) 128 129 of the 3rd Aug 1943.

2. The modification made by the D.M. to his original order (p 132) vide No P.O.L. of the 26-10-42 is within his competence - vide concluding portion of para 1 of G.C. No 1932/36-M of the 2-10-42.

3. The D.M. has not however so far forwarded to Govt his order permitting 12 hours supply but by the Bijapur Electric Supply Co as sanctioned in G.O. (Ms) 128 dt 3rd Aug 1943. The draft (p.136) has to be may issue, if agreed.

421
30/10/43

+ Stub B, File 1932/36 (P p. 5
p. 5
P pp. 5-6

Bl Pl
Copies of orders 20/9

Secretariat
File No 5945/36
20 SEP 1943
25897

MWD

DS.

5945/36

25897

P.W.D.

No 5945/36 El. B.C. 3 Nov 1943

To

The D.M., Bijapur

Sub:— Hours of supply: The Bijapur Electric supply Cy. Ltd. p134

Reference your letter no P.O.L. 863, dt 18-9-43.

2. Copies of your order permitting the Bijapur Electric supply Cy to give supply for 12 hours as sanctioned in G.O. no 5945/36 M, dt the 31st Aug 1943, should be forwarded for the information of Govt and the Govt. Engr to Govt

By order of the Govt.

S.O.
30/10/43

ISSUED
On. 6/11/43

WS

1/11 D'Lorro 3/11 1/11/43

Subject:- Restriction in the use of electricity.

No. P.O.L.-863.
Bijapur, 18-9-1943.

ORDER.

In exercise of the powers conferred by clause (a) of -- sub-rule (2) of rule 81 of the Defence of India Rules, - the District Magistrate, Bijapur is pleased to modify the restriction No. (ii)(c) imposed in this office order No. P.O.L. dated 26-10-1942 as under:-

"(ii)(c) No street lights shall be switched on at night from the 14th to the 18th day (both days inclusive) of the lunar months."

Sd. E.R.EVANS,
District Magistrate, Bijapur.

To

The Bijapur Electric Supply Co., Ltd., Bijapur.

H.

Subject:- Restriction in the use of electricity.

No. P.O.L.-863.
Bijapur, 18-9-1943.

ORDER.

In exercise of the powers conferred by clause (a) of -- sub-rule (2) of rule 81 of the Defence of India Rules, - the District Magistrate, Bijapur is pleased to modify the restriction No. (ii)(c) imposed in this office order No. P.O.L. dated 26-10-1942 as under:-

"(ii)(c) No street lights shall be ~~x~~ switched on at night from the 14th to the 18th day (both days inclusive) of the lunar months."

Sd. E.R.EVANS,
District Magistrate, Bijapur.

To

The Bijapur Electric Supply Co., Ltd., Bijapur.

H.

Letter.

To

The Deputy Secretary to Govt.
P.W.D. Bombay.

No. P.O.L.-863. Camp Hungund, 14-11-1943.

Subject:- Hours of Supply.
The Bijapur Electric Supply Co,~~m~~ Ltd.,
Bijapur.

p. 136

Reference:- Your No. 5945/36-El. of 3-11-1943.

p. 140

Copy of this office order No. P.O.L.-863 of - 18-9-1943 is enclosed.

I Talwarkar

District Magistrate, Bijapur.

H.

5945/36
32920.

U. Bv. P. W. D

Submitted with reference to ft. on p. 136 ante.

2. The draft list ub may issue, if apkd.

827
18/11/43

S.A.S

R.C.B
17/11

PUBLIC WORKS DEPARTMENT
File: 5945/36
17. NOV. 43
Serial: 32920

5945/36/32920.

No.5945/36-El. P. W. D.

B.C. 10 Nov. 1943.

To

The D.M., Bijapur.

Subject:- Hours of Supply: The Bijapur El. Supply Coy., Ltd.

.....

Ref: Your letter No.P.O.L.863, dated the 14-11-43.

2. In G.L.No.5945/36-El, dated the 3rd Nov. 43, you were requested to forward copies of your order permitting the Bijapur El. Supply Coy. to give supply for 12 hours, as sanctioned in G.L.No.5945/36-M, dated the 3rd August 1943, for the informa- of Govt. and the El. Engr. to Govt. This should please be done now.

3. Your order No.P.O.L.863, dated the 18-9-43, a copy of which is enclosed with your letter under ref. refers to street lighting, and a copy thereof was already recd. by Govt. with your letter ----

No .....

5945/36/32920.

No.P.O.L.863, dated the 18-9-43.

By order of the G. of B., D.A.-Nil.

ISSUED
On 25/11/43
VR.18/11.

No.P.O.L.863
Bijapur, 13-8-1943.

Read: Govt. P.W.D.letter no.5945/36-M. of 3rd Aug:1943

Subject: Hours of supply
The Bijapur Electric Supply Co.Ltd.

ORDER.

In modification of this office order No.P.O.L.863 dated 24th July 1943 and in exercise of the powers conferred by clauses (a) of sub-rule (2) of rule 81 of the Defence of India Rules, read with Govt. Notification, H.D.(Pol)War No.S.D./W 3401 dated 19th December 1941, the District Magistrate,Bijapur, hereby directs th that with effect from 15th August 1943 the Bijapur Electric Supply Co.Bijapur shall not supply electrical energy between the hours of 6-30 a.m. and 6-30.p.m. to any person without the special permission of the District Magistrate except when it is necessary to do so

No.P.O.L.863
Bijapur, 13-8-1943.

Read: Govt. P.W.D.letter no.5945/36-B1 of 3rd Aug:1943

Subject: Hours of supply
The Bijapur Electric Supply Co.Ltd.

ORDER.

In modification of this office order No.P.O.L.863 dated 24th July 1943 and in exercise of the powers conferred by clauses (a) of sub-rule (2) of rule 81 of the Defence of India Rules, read with Govt. Notification, H.D.(Pol)War No.S.D./W 3401 dated 19th December 1941, the District Magistrate,Bijapur, hereby directs th that with effect from 15th August 1943 the Bijapur Electric Supply Co.Bijapur shall not supply electrical energey between the hours of 6-30 a.m. and 6-30 p.m. to any person without the special permission of the District Magistrate except when it is necessary to do so

in order to rectify any defects in the Supply system.

Sd. T.T.Kothavala
Dist.Magistrate,Bijapur.

To

The Bijapur Electric Supply Co.

Letter.

To

The Assistant Secretary to Govt.,
.'.P., Bombay.

M.P.C.T.863 Via Vijapur, 1st Dec. 194.

Subject: [illegible] Supply
The Vijapur Dist ic Supply C[illegible].

Ref: Y[illegible] tt[illegible] No.5945/36-El of 8[illegible]-11-43.

Copy of this office order No.[illegible].863 of 15-[illegible]
(in duplicate) is enclosed.

J. T. Chinoy

for District Magistrate, Vijapur.

5945/36
34709

Sl. Br.

P.W.D.

Submitted for information with reference to G.I. on pp 144-145 ante.

Record.

20/11/43.

13/11/43

Fh
M.

Mr J
D S.

PUBLIC WORKS DEPARTMENT
File No. 5945/36
-4. DEC. 1943
Serial No. 34709

No.P.O.L.868.
Bijapur,18-3-1944.

Read:-

Application from the Proprietors,Karandikar Bros. Bijapur, dated 6-3-1944 & letter dt. 13-3-44 from the Bijapur Electric Supply Co. -----

O r d e r.

The Proprietor,Karandikar Bros.,Bijapur, is permitted to temporarily electrify the pendal temporarily erected for the ensuing Matriculation Examination to be held from 11 A.M. to 5-30 P.M. on the 4 days viz. 20th, ~~21st~~ 22nd,23rd and 24th March 1944. The fitting arrangement should be got done by the Bijapur Electric Supply Co. and electric energy should be supplied by the Company as agreed to.

Sd. I.T.Almaula.
District Magistrate,Bijapur.

To,

1. The Proprietor,Karandikar Bros,Bijapur.
2. The Manager,Bijapur Electric Supply Co.
3. The D.S.P.Bijapur.,w.c.
4. The Huzur Deputy Collector,Bijapur.
5. The Electrical Engineer to the Government of Bombay,w.c
6. The Electrical Inspector,Bombay, w.c.

....

Copy of the order submitted to the Secretary to Government, P.W.D.,Bombay.

2. The supply of energy is only for 4 days and the students appearing for the Matriculation Examination would be very much inconvenienced in the absence of fans,particularly when they have to sit in a temporary pendal,in these hot days. As there was no time for obtaining the prior sanction of Government,the above order is passed in anticipation of sanction which may kindly be accorded. Last year the same facility was extended.

I T Almaula
District Magistrate, Bijapur.

BLB 22/3


PUBLIC WORKS DEPARTMENT
File No 5545/36
5-5-9/55
22. MAR. 1944
Serial No. 8215

No. P.O.L.-863.
Bijapur, 20-3-1944.

CORRIGENDUM.

Read "11-30 A.M. to 6-30 P.M." for the words "11 A.M. to 6 P.M." mentioned in my order No. P.O.L.-863 of 18-3-1944.

Dist.Magistrate,Bijapur.

The Secretary to Govt.P.W.D.Bombay, w.rs.
The Proprietors, Karandikar Bors,Bijapur w.cs.
The Manager, Bijapur Electric Supply Co., w.cs.
The D.S.P.Bijapur and the H.D.C.Bijapur w.cs.
The Electrical Engineer to Govt. of Bombay w.cs.
The Electrical Inspector, Bombay w.cs.



E.C.B.
24-3-44

5945/36
8504

El. Br

PWD

Submitted (with S.no 8215) for information.

2. The normal hours of supply of electrical energy by the Rajpura Electric Supply Co are 12 hours - from 6-30 pm. to 6 am. Since the supply has been permitted by the D.M. in this case beyond the prescribed hours of supply, viz 12 hours, Govt sanction is necessary. The draft reply may issue, if approved.

27/3/44

30.III.44.

5945/36

8504.

No 5945/36-El

P.W.D. April
B.C. 1st March 1944.

To

The D.M. Bijapur.

Sub:— supply of electric power to the pandal erected for the Matriculation exam at Bijapur.

Reference para 2 of your ltr below
No 1512
Your order No P.O.L. 863 dt the 18.3.44, as amended by corrigendum No 1574 of even number, dt the 20.3.44.

2. Your action is confirmed.

By order of the Govt.B.

Copy for information to the El. Engr. to Govt.

8/3/44

25/7/44

30.12.44

Very Urgent Please. Letter.

To

The Deputy Secretary to Government,
P.W.D. Bombay.

No. P.Q.L.-863. Bijapur, 23-3-1944.

+ copy of the communication = p 146 < p 128

I have the honour to report that in accordance with the orders in letter No.+ 1932/36-M dated 24-8-1942, orders were passed under Rule 81(2)(a) of Defence of India Rules under this office No.= P.O.L.-863 of 13-8-1943 restricting the hours of supply of electricity for the Bijapur city, and the orders are in force since 15-8-1943. The company is allotted 10 tons of diesal oil for the purpose under your No.< 5945/36-M of - 3-8-1943.

2. Now the hot season has set in and the District - Judge, Bijapur has reported that fans are quite necessary in his court and the subordinate courts at Bijapur and also for the members of the Bijapur Bar. Same is the case with other local offices and the public.

3. The Bijapur Electric Supply Company was consulted - in the matter and the company is willing to supply energy provided the quota of the diesal oil is raised by one ton more.

4. It is therefore requested that sanction may kindly be accorded for the supplying of the electric energy by the - Bijapur Electric Supply Co., from 1 P.M. to 6-30 P.M. for a - period upto the end of June 1944.

5. The Controller of Supplies may also be advised to increase the present quota of 10 tons to 11 tons of diesel oil ~~xxx~~ per month upto the end of ~~May~~ 1944.

I F Ahmed

District Magistrate, Bijapur.

850 --

Vol B 17/3
PUBLIC WORKS DEPARTMENT
File No. 5945/36
27. MAR 1944
Serial No. 8708

5945/36
8708

El. Br. T.W.D.

Submitted for orders.

2. The Bijapur Electricity Coy was originally classed as 'D' permitting 6 hours supply, with an allotment of 3½ lacs ℓ diesel oil p.m., which was subsequently raised to 8 lacs p.m.

3. In March 1943 the D.M., Bijapur, issued an order permitting the Electric supply Coy to supply electrical energy for 17½ hours i.e. from 11 A.m. to 4-30 A.m. and requested Govt's confirmation thereto for the period upto the end of June 1943 explaining that the supply for addl hours was necessitated partly due to the setting in of the hot season, requiring fans and partly to facilitate police rounds at night — vide his letter on pp 41-42 ante. It was considered that it was necessary to allow power for fans during the hot weather in such places as Bijapur — vide Tele Secy's (Mr Aitken's) note of the 24-3-43. The D.M's order was accordingly confirmed for the period of the hot weather i.e. upto the end of May 1943, with instructions that supply should be restored thereafter to six hours as before. The coy's quota of diesel oil for the period was raised by one lac i.e. from 8 to 9 lacs p.m. It was however subsequently raised to 11 lacs p.m. for the months of April & May 1943. on the basis of previous consumption.

4. The D.M. reduced the hours of supply to 6 hours from the 1st June 1943 in accordance with the Govt orders but

5945/30
8708

Subsequently representations that the hours of supply may be varied from 10 and then to 12 hours for the reasons given in this letter on pp 104, 112 ante. Govt agreed to permit the Coy to give supply for 12 hours, with an allotment of 10 tons of oil per hour, subject to revision on the basis of the actual consumption. The Coy is accordingly giving supply for 12 hours since 15th Aug 1943 and its present hours of supply as fixed by the D.M. are from 6.30 p.m. to 6.30 A.M. — Vide this order of the 13.8.43.

5. For the reasons given the D.M. now requests that sanction may be accorded for the supply of electrical energy by the Coy from 1 p.m. to 6.30 p.m. (i.e. for 5½ hours in addn to the present 12 hours supply) for the period upto the end of June 1944, with an increase of one ton of diesel oil per hour during that period. Orders are solicited on the D.M's request.

6. The letter on p 116 ante will be issued 30/3/44 hereafter

I think use of fans in a place like Bijapur during hot weather is essential. But could this not be done by adjusting the hours instead of extending them? It is suggested that if the hours be fixed from 1 P.M. to 1 A.M. Very few persons would be using the current from 1 A.M. to 6.30 A.M.

[redacted] 31.III.44 Addl Secy

[redacted] allowed [redacted] to the public convenience

5945/36
8708.

No 5945/36 El.

P.W.D.
B.C. 18th April 1944.

To

The D.M., Bijapur.

Sub:— Hours of Supply: The Bijapur Electric Supply Cy. Ltd.

Reference your letter no P.O.L-863, dt the 23-3-44.

2. The proposed increase in the total hours of supply of electrical energy by the Bijapur Electric Supply Cy. Ltd, and in its present quota of diesel oil cannot be allowed. You should adjust the present working hours of supply to suit the public convinience.

By order of the Govt B

copy for information to the El Engr to Govt

issue letter on p : auth also.

+ vide

Extracts from File 1932/36, dealing with the question of general revision of the present classification of ---- Electricity Supply Undertakings run on diesel oil for the purpose of rationing of diesel oil.

.....

Para.1 and Para.2(1) & (2) of the Dy. Secy's note, dated the 24th May 1944.

1. It does not seem necy. to review the whole classification. The classification already made appears to be fair enough and not many complaints have been recd. In a few cases, due to special circumstances it has been found necy. to change the original classification. Individual cases may therefore be treated on their own merits.

+ F.No 61111/36 (Ad'l Dy Secy Interference not I)

2.(1). Viramgam.- The original classification was changed from D to C at the request of the Customs Deptt. which was supported by the D.M., in order to provide El. light at the Railway Station for Customs examination at certain train times. The Customs Deptt. now wants the hours to be further increased so that their offices may be able to use el. fans during day time.

The present hours of supply as fixed by the D.M. are -

3 a.m.	to	6 a.m.	12½ hrs.
4.30 p.m.	to	2 a.m.	

The Customs Deptt. wants the hours as follows:-

3 a.m.	to	6 a.m.	16 hrs.
11 a.m.	to	5.30 p.m.	
7 p.m.	to	1.30 a.m.	

If ....

If ely. is provided for 16 hrs. a day for 5 months of hot weather and for 9½ hrs. a day (3 a.m. to 6 a.m. and 7 p.m. to 1.30 a.m.) for the remaining 7 months, the average number of hours per day for the whole year would be less than 12½ and hence the supply could be given without increasing the quota of the diesel oil. The D.M. may be asked to report in consultation with the El. Supply Co. whether this proposal is acceptable..

2. (2) Bijapur.- Classification was changed from D to C. In view of the fact that Bijapur is the H.Q. of a Dist. and has a population of 49,000 the higher classification is justified. The D.M. had recently recommended increased hours of supply during the hot weather to run the fans but he was informed that the hours cannot be increased but they might be adjusted by the D.M.

Perhaps in this case also it may be convenient to allow increased hours during the hot weather provided a corresponding reduction is made in the remaining --- months. If the suggestion for Virmagam is accepted this case may be dealt with similarly.

****

Secy.(Irrigation)'s note, dated the 25-5-44.

I agree generally with the views of the Dy. Secy. (I & R) and do not consider that any general revision is necy. The particular cases dealt with above may be commented on by the El. Engr. to Govt. before final orders are passed and that officer may also give his views on the question of general revision.

In .....

In my opinion Rander deserves no consideration at all, the Coy. has already been treated far too favourably.

****

Paras.2 and 3(1) & (2) of the El. Engr's memo.No.LRM.31/1326, dated the 22-6-44.

2. I agree to para.1 of the Dy. Secy's note on page 25 ante.

+ File No.6124 (Could not be traced at present)

3. (1).+ Viramgam - The 9½ hrs. supply a day for 7 months, as proposed by the Dy. Secy., would be inconvenient to the Customs Staff, vide letter on page 165 from the Collr. of Central Excises and Salt Revenue, Bombay. Inquiries have been made from the B.B.&C.I.Railway authorities, who state that the station is now being very considerably enlarged on account of Customs requirements, and a proper Customs examination hall is nearing completion. It is essential that this be properly lighted and ventilated. In my opinion, the hours of supply may be fixed as proposed in my U.O.R. No.LRM.63/4948 dated 19th February 1944 at page 178 of file No.6124/36, and according to the proposal the average number of hours per day would be about 13 and the present quota of diesel oil of 8½ tons per month would not require any increase.

3. (2). Bijapur - The case of Bijapur, it is suggested, may be dealt with as above; thereby there would be an average increase of only about 1 hour per day for the whole year, and it would not be necy. to increase the quota of 10 tons, the present average consumption per month being 9.33

tons.....

5443/37

tons. However, if a small increase is found necy. according to the figures of ~~xxxx~~ actual consumption after the hours are increased, as proposed, the matter will be given due consideration.

El. Br.

P.W.D.

VR.30/6.

T.E.
3/7/44

Submitted.

2. The subsidy within pertains to the revision of the present hours of supply of electrical energy by the Bijapur El. Supply Coy.

3. As in the case of Viramgam Electric Supply Coy, the El. Engr to Govt suggests that 16 hrs supply may be permitted at Bijapur during the hot weather period, i.e. from the 1st April to 30th June, only. If the El Engrs suggestion is to be accepted the draft letter will meet the case.

3/7/44

El. Engr's suggestion may be accepted

Yes 5/7/44

3.VII.44

5945/36

No 5945/36 El.

P.W.D.
B.C. 7/7 July 1944

The D.M., Bijapur

Sub:— Hours of Supply: The Bijapur Electric Supply Cy. Ltd.

Reference correspondence ending with G.L. no 5945/36 El. & the 1-4-44.

2. Govt considers that Messrs the Bijapur Electric Supply Cy, Ltd, should be permitted to give supply for 16 hours instead of for 12 hours per day during the hot weather period ~~only~~ (i.e. from the 15th April to the 30th June) only. You are requested to permit supply accordingly during the next hot weather period.

By order of the Govt.

copy.

5945/36

Copy for information to

The Dy. Engr. to Govt (with reference to this no PRM-31/1326, Dt 22-6-44)

Messrs The Bijapur Electric Supply Co. Ltd, Bijapur.

421
3/7/44

CIE
3.VII.44

ISSUED
10/7/44

5/7/44

Copy of letter No.A-24/5624 dated 17-11-44 from the Civil Surgeon Bijapur, to the Dist.Magistrate,Bijapur.

Subject:-X'Ray plant at the Civil Hospital,Bijapur.

I have the honour to say that the X'Ray Plant at this Hospital has been repaired and brought into working order. It was lying idle for the last three years with-out repairs and with great difficulty it has been repaired lately and a specialist in Radiology has been posted at this Hospital by the Surgeon General.

2. Due to abnormal variations in the voltage of the Local Electric Co. the cable of the X'Ray plant was burnt and this was sent to Bombay and the Mechanical Engineer of Messars. Walgham Bros., have opined that if there is no steady voltage the plant may again get damaged and the former has asked the Electric Co. to give steady voltage during the working hours of the X'Ray plant from 6-30P.M. to 7-30P.M. every day. -- Accordingly I had addressed the Electric Co. to supply - current at steady voltage during the above period to which they have replied in their letter No.G-229, dated 15th Novr. 1944, copy enclosed. They have stated that there is heavy load on their machines at 7 P.M. due to the nights being short. They have therefore, requested me to approach you to allow them to give the required energy at the required voltage between - 5-30 to 6-30 P.M.

3. I would, therefore, request you to be so good as to allow them to supply the energy between 5-30P.M. to 6-30P.M. as this arrangement could be done by them in the same - quantity of oil that is supplied them.

4. As there was no facility for X'Ray at this place poor patients were deprivedof this facility and had to go to other places for photos or screening.

5. Under the circumstances, it is earnestly requested that the Electric Co. may kindly be permitted to give us electric energy between 5-30-P.M. to 6-30P.M. as a special case. If this arrangement is not made it is not possible to work machine and if it is worked it may again go out of order due to the abonormal variations in the voltage.

An early arrangement is solicited."

Copy of letter No.G-229 dated 15th Novr. 1944 from the Bijapur Electric Supply Co.,Ltd.Bijapur.

" With reference to your letter No.A-24/5307 dated the 23rd inst., we have to state that electric connection to X'Ray plant is already given.

Our Power House gives electric energy to the consumers from 6-30P.M. to 6-30 A.M. each day. The days being short it gets dark at about 7 P.M. Our peak load therefore reaches its maximum at about 7 P.M. and our Engines have to exert hard to bear theload. It would therefore be putting extra strain on Engines if your X'Ray plant is started between 6-30 P.M. to 7-30-P.M. With a view to avoid this dirficulty we propose to suggest to you the following alternative.

We are willing to supply the electric energy to your plant from 5-30 P.M. to 6-30P.M. each day in the same - quantity of oil that is supplied thus. This would solve our difficulty and you would also get a very steady voltage. We request you therefore to please request the Dist. Magistrate Bijapur to allow us to run the Power House for the X'Ray plant from 5-30P.M. to 6-30P.M. each day.

Thanking you very much in anticipation."

Subject :- Hours of Supply:
The Bijapur Electric Supply Co.,Limited.

No. P.O.L.863.
Camp. Almel, 1-12-1944.

To

The Deputy Secretary to Government,
P.W.D., Bombay.

The Civil Surgeon Bijapur requests me to allow the Bijapur Electric Supply Company, to supply energy between 5-30 P.M. to 6-30 P.M. for the working of X'Ray plant. The X'Ray plant was out of order for long and has now been repaired and a specialist in radiology posted at the Bijapur Hospital.

The Electric Engineer, Bombay Division, Bombay, is of opinion that the X'Ray plant is likely to get damaged if there is no steady voltage. The Electric Company states that it is not possible to give steady voltage between 6-30 P.M. to 7-30 P.M. as there is a heavy load on the machine at 7 P.M. and proposes the hours of supply between 5-30 P.M. to 6-30 P.M. for the X'Ray plant

The Company is now supplying energy for 12 hours between 6-30 P.M. and 6-30 A.M. and is willing to supply energy for 13 hours i.e., from 5-30 P.M. to 6-30 A.M. within the sanctioned quota of diesel oil. I, therefore, recommend that the hours of supply may be increased by one hour as a special case only for the Hospital use.

Copies of letter from the Civil Surgeon Bijapur and the Company's reply to him are enclosed.

District Magistrate, Bijapur.


PUBLIC WORKS DEPARTMENT
5. DEC. 1944

5945/36/33607

(El.Br.)

Submitted.

2. The present hours of Supply of electrical energy by the Bijapur Electric Supply Co. as fixed by the D.M., Bijapur, are from 6-30 p.m. to 6-30 a.m. - vide his order dated the 13-8-1943. p146

3. On the 23-3-44 the D.M. requested that sanction might be accorded for the supply of electrical energy by the Co. from 1 p.m. to 6-30 p.m. (i.e. for 5½ hrs. in addition to the present 12 hours supply) for the period upto the end of June 1944, with an increase of 1 ton of diesel oil per mensem during that period.

4. The request of the D.M. was not granted and he was asked to adjust the present working hours of supply to suit the public convenience.

5. On the 7-7-44 the D.M. was informed that the Co. should be permitted to give supply for 16 hours instead of for 12 hours per day during the hot weather period (i.e. from the 1st April to the 30th June) only and he was asked to permit supply accordingly during the next hot weather period.

6. In the circumstances explained, the Civil Surgeon, Bijapur, requests the D.M., Bijapur, that the Bijapur Electric Supply Co. may be allowed to supply energy between 5-30 p.m. and 6-30 p.m. for the working of the X'Ray plant at the Civil Hospital, Bijapur. The D.M. recommended that the hours of supply may be increased by one hour as a special case only for the Hospital use. It is for consideration whether the

recommendation---

recommendation of the D.M. may be accepted.

The Electrical Engineer to Government may see u.o.

RJ 15/12/44 El. Engr. to Govt. may see for remarks.

CLL 15/XII/44.

NC.15/12.

Yes. His particular place seems to be trying continuously to release a cartlee to secure the town supply

D

16/12/44

(16.1.45)



u.o. to Sl. Engr. of 18.12.44.

C.S.A.

Secy(P)

Below U.O.R.No.5945/36/33607 dated the 18th December 1944, from Government in the Public Works Department.

No. L.Rm 8 3868 of 1944.

Bombay, 20th December 1944.

Returned, with compliments.

2. The question of supply and damage to the cable of the X-Ray plant was taken up by the Electric Inspector, Bombay Province, in February this year. Owing to the Cinemas and Municipal pumps running at the same time as the X-Ray Plant, the generators were not able to properly take the load without very considerable voltage fluctuations.

3. I recommend that the request of the Civil Surgeon for energy for the X-Ray Plant at the Civil Hospital between 5.30 p.m. and 6.30 p.m. be allowed on such days as the same is actually to be used, and that no other load be allowed during this time.

Electrical Engineer to Govt.

45/36/35226

submitted with reference to the notes at page ante.

2. It is for consideration whether the Sc. Supt's recommendation may be accepted. If so, the draft put up for approval may issue.

20/12/44

No. 5945/36 SC.

To

The District Magistrate, Bijapur.

Subject: Hours of supply:

The Bijapur SC. Supply Co. Ltd. P.

Reference your letter No. D.O.L. 863 of the 1-12-44.

Govt. is pleased to grant the permission to the Bijapur E.S. Co. Ltd. to supply electrical energy to the X-Ray Plant at the Civil Hosp, Bijapur, on such days as the same is actually to be used. You are accordingly requested to issue an order prohibiting other consumers from taking supply during the specified hours.

By order etc.

Copy for information to—

The Exe. Engr. & Supt. W.R. & his No. LRM & J - the 20-12-44.

Messrs The Bijapur E. Supply Co. Ltd. W.R. & their letter No. E-229, dt the 15-11-44, & the Civil Surgeon, Bijapur.

20/12/44

D.O.S.

SC. 3-1-45

x Expedited under No. 5945/36/S.J - 1-45

6/1/45

(6-2-45)

SC. B 21/12

PUBLIC WORKS DEPARTMENT
File No. 5945/36.
20. DEC. 1944
Serial No. 35226.

ISSUED
On...

No. P.O.L.-863.
Bijapur, 26-1-1945.

Read:-
Govt. P. .P. letter No. 6343/36-11 date. 9-1-1 45.

ORDER.

In modification of this office order of even no. dated 1-10-1944 and in exercise of the powers conferred by clause (a) of sub-rule (2) of rule 11 of the Defence of India Rules read with Govt. Notification (Civil Defence) No. .../M-401 dated 12-1-45 the Dist. Magistrate, Bijapur hereby directs that with effect from 26-1-1945, the Bijapur Electric Supply Co., Bijapur shall not supply electrical energy between 6-0 P.M. and 9-30 P.M. to any person, except for the X-Ray plant at the Civil Hospital, Bijapur between the hours of 5-30 P.M. and 6-0 P.M. on such days when it is actually to be used, without the special permission of the Dist. Magistrate, Bijapur and except when it is necessary to do so in order to rectify any defects in the supply system.

Sd. I.T.Almaula,
Dist. Magistrate, Bijapur.

To
The Electric Supply Co., Ltd., Bijapur.
The S.P.Bijapur, W.C.C.
The I.G.P.Bijapur City.
The Civil Surgeon, Bijapur, W.C.C.
The P.S.I.Bijapur City.
for information and wide publication.

Copy to the Editors of Karnatak Vaibhav, Navchernatak Bijapur with a request to publish the above order in their weeklies as a piece of news free of charge.

5945/36

Copy w.c.c. to the Manager Govt. Central Press, with a request to publish the above order in the Bombay Govt. Gazette, Part I.

Copy submitted to the Secretary to Govt. P.W.D., Bombay.

S. G. Chandorkar
Dist. Magistrate, Bijapur.

U.O. No. Ex. Govt. may see for information.

PUBLIC WORKS DEPARTMENT
File No. 5945/36
9. FEB. 1945
Serial No. 4928
9 FEB 1945
P. W. D. BOMBAY

U.O. No. Ex. Govt. dt. 7-2-45

No. Ex. 81/4633 dt. 9/2/45.

Seen & returned with compliments.

Secretary to Government
P. W. D.

PUBLIC Works DEPARTMENT
File No. 5945/36
5 FEB.
Serial No. 4121

Record

9-2-45

12/2

7-2-45

No. P.O.L.
Bijapur, 10-3-1945.

Read:-
Application from the Proprietor, Karandikar Bros, Bijapur dated 19-2-1945.

ORDER.

The Proprietor Karandikar Bros, Bijapur is permitted to temporarily electrify the pendal temporarily erected for the ensuing matriculation examination to be held from 10-30 A.M. to 6-30 P.M. on the 5 days viz., 19-3-1945 to 23-3-1945 (both days inclusive). The fitting arrangement should be got done by the ~~M~~ Bijapur Electric Supply Co. and electric energy should be supplied by the Company as agreed to.

Sd. I.T.Almaula,
Dist.Magistrate, Bijapur.

1. The Proprietors Karandikar Bros, Bijapur.
The Manager, Electric Supply Co., Bijapur.
The D.S.P.Bijapur, w.cs.
The Huzur Deputy Collector, Bijapur.
The Electrical Engineer to Govt. of Bombay, w.cs.
The Electrical Inspector, Bombay, w.cs.

Copy of the order submitted to the Secretary to Govt., P.W.D., Bombay.

2. The supply of energy is only for 5 days and the students appearing for the matriculation examination would be very much inconvenienced in the absence of fans when they are to sit in.

P.T.O.

5945/3
8980

in the temporary pendal in these hot days, as there was no time for obtaining the prior sanction of Govt. the above order is passed ~~x~~ in anticipation of sanction which may kindly be accorded. Last year the same facility was -- extended.

Dist. Magistrate, Bijapur.

No. 5945/36-El.

B.C., 23rd March 1945.

To
The D.M., Bijapur.

Subject:- Supply of el. power to the pandal erected for the Matriculation exam^n. at Bijapur.

Ref. para. 2 of your endt. below your Order No. P.O.L., dated the 10-3-45.

Your action is confirmed.

By order of the G. of B.

Copy for information to the El. Engr.

to G.O.C.

P.R.O.
19-3-45.

PUBLIC WORKS DEPARTMENT
File No. 5945/36.
17. MAR 1945
ISSUED Serial No. 8980
On. 22/3/45

181

No. P.O.L.-863.
Bijapur, 16-4-1945.

Read:-
Govt. P.W.D. letter No. 5945/36-Kl. dated 3-1-1945.

ORDER. P 177

In modification of this office order of even No. dated 26-1-1945 and in exercise of the powers conferred by clause (a) of sub-rule (2) of rule 81 of the D.I.Rules read with Govt. Notification, H.D.(Political war) No. S.D./W-3401 dated 19-12-1941 the Dist. Magistrate, Bijapur hereby directs that with effect from the date of this order, the Bijapur Electric Supply Co., Bijapur shall not supply electrical energy between 7 A.M. and 7 P.M. to any person except for the X-Ray Plant at the Civil Hospital, Bijapur between the hours of 5-30 P.M. and 6-30 P.M. on such days when it is actually to be used, without the special permission of the Dist. Magistrate, Bijapur and except when it is necessary to do so in order to rectify any defects in the Supply system.

OK 42 amn

Dist. Magistrate, Bijapur.

To
The Electric Supply Co., Ltd., Bijapur.
The D.S.P.Bijapur, w.cs.
The S.D.M.Bijapur city.
The Civil Surgeon, Bijapur, w.cs.
The P.S.I.Bijapur city.

for information and wide publication.

Copy to the Editors of Karnatak Vaibhav, Navakarnatak, Bijapur with a request to publish the above order in their weeklies as a piece of news free of charge.

Copy w.cs. to the Manager, Govt. Central Press, with a request to publish the above order in the Bombay Govt. Gazette, Part I.

Copy submitted to the Secretary to Government, P.W.D., Bijapur.

To the Secretary to Govt. P.W.D.

Bombay

Bombay



183 5945/B/12840.

EL. BR II

Submitted.

A 18/V

2. The order within does not seem to have been endorsed to the El. Engr. to Govt. as req'd. by the G.L. No. 1932/36-M, d. the 24-8-42. Before the D.M, Bijapur is addressed in this con, the El. Engr. to Govt. may see the papers ref. for information. He may also be requested to state whether he has received a copy of the order within separately.

* At the Comm. on Elec. Insl.

P 6/V

30-4-45.

Cll 3.V.45

ELECTRICAL ENGINEER TO GOVERNMENT
Bombay No. 1415
7 MAY 1945

D.S. n.o.r. to the El. Engr. to Govt. 4-5-45

No. dtd 8 661.97-5/45

Returned with compliments.

2. A copy of the orders has not been received in this office so far.

Electrical Engineer to Government,
P. W. D., Bombay



No. P.O.L.-863.
Bijapur, 11-5-1945.

ORDER.

In exercise of the powers conferred by clause (a) of sub-rule (2) of rule 81 of the Defence of India Rules read with Govt. Notification, H.D.(Political-war) No. S.D./W 3401 dated 19-12-1944 the Dist. Magistrate of Bijapur hereby directs that the Bijapur Electric Supply Co., shall supply electric energy throughout day and night on 13th and 14th May 1945 as it is so necessary for illumination and to make other arrangements in connection with the ~~European~~ Victory Celebrations.

Sd. I.T.Almaula,
Dist. Magistrate, Bijapur.

Copy submitted to the Secretary to Govt. P.W.D., Bombay.

2. The supply of energy is only for 2 days. As the time at disposal could not admit of obtaining previous orders, the order is passed in anticipation of sanction which may kindly be accorded.

I.T.Almaula
Dist. Magistrate, Bijapur.

To
The Secretary to Govt
Civil Dept.
Bombay

Sd/- Vijayapur
Bombay

17-5-86

1217 5945/26/16052

El.Br-II

Submitted with S.No-15019 with
ref to the D.O.No. dtd 30th April 45 -

2/- M/s. The Bijapur El. Supply Co., Ltd.,
has been permitted to give 12 hours' supply
- vide Ce.L. No. 5945/26 Yf, dtd 3rd Aug. 43.
The D. Yf., Bijapur however,
requested to permit supply for 16 hours
instead of for 12 hours per day during
hot weather period (i.e. from the 1st April
to 30th June) only. It will be seen from
the D. Yf's. order at P/2/ ante that 16 hours
supply was not permitted. Presumably it
was not necy. Otherwise the order calls
for no remarks. P/45

3/- The D. Yf's. action in permitting
supply throughout the day & night on 13th &
14th May 45 for victory celebrations may be
confirmed.

4/- Copies of none of these orders
has been endorsed to the El. Engr. & Govt.
Attention of the D. Yf. may, therefore, be in-
vited to the Govt. Circular No. 1932/26 El, dtd
2nd Oct. 42 & he may be asked to inform
that copies of orders regulating the hours &
supply of elect. energy should ftd. be
endorsed to the El. Engr. & Govt.

5/- The draft postcard overleaf
may issue, if approved.

SH
4/6/45.

6/VI/45

5945/36/16052

No. 5945/36 El (B) P.W.D.

Br. C., 8th June 45.

To

The D.H., Bijapur.

Subj:- Supply of el. power by M/s. Mc Bijapur El. Supply Co., Ltd.

Ref:- Reference your order No. P-C-L.863, dtd 11th May, 1945.

2/- Your action in permitting the Supply of el. power throughout day & night on 13th & 14th May, 1945 for Victory Celebrations is hereby confirmed.

3/- Attention is invited to the Govt. Circular No. 1932/36 Mf, dtd 2nd Oct. 42, and it is requested that copies of orders regulating the hours of supply of el. energy should please be endorsed to the El. Engr. to Govt.

By order etc

Copy forwarded for information.

to the El. Engr. to Govt.

ISSUED
On 9/6/45

9/6/45.

Letter.

To

The Deputy Secretary to Government,
P.W.D. Bombay.

No. P.O.L.-863. .. .. Bijapur, 9-10-1945.

The Bijapur Electric Supply Company is being asked to supply electric energy both day and night on 12th and 13th October 1945 as it is so necessary to make various arrangements during H.E.'s visit to this place. Orders will be issued to the Electric Company separately.

Dist. Magistrate, Bijapur.

Copy w.cs. to:-
The Electrical Engineer to Government of Bombay, Bombay.

F.T.9.

5945/36/33864. 19

El.Br.(II).

P.W.D.

Submitted.

2. M/s.The Bijapur El.Supply Co,Ltd., is permitted to give 12 hrs: supply, vide G.L.No.5945/36-M, dated the 3-8-43.

3. The D.M's action in permitting supply throughout the day and night on the 12th and 13th Oct.1945 may be confirmed as per draft put up for approval.

PRO.
12-10-45.

To

5945/36.

33864.

5945/36
33864

No.5945/36-El.(II) Letter.

P.W.D.
B.C., 13th Oct.1945.

To

The D.M.,Bijapur.

Sub: Supply of el. power by
M/s.The Bijapur El.Supply Co.,Ltd.

---

fp.189

Ref: Your letter No.P.O.L.863, dated the 9.10.45.

2. Your action in permitting the supply of electric power throughout day and night on the 12th and 13th Oct.1945, in connection with H.E's.visit to Bijapur, is hereby confirmed.

D.A:-Nil.

By order of the G.of B.

Copy forwarded for information to the El.Engr. to Govt.

PRV
12-10-45.

Issue to-day & book.
12/10

12/10

No.P.O.L.863.
Bijapur. 11th.October.45

Order.

In excercise of the powers conferred by clause (a) of sub rule (2) of rule 81 of the Defence of India Rules read with Government Notification, H.D. (Political-War) No.3.D./W.3401, dated 19-12-41, the District Magistrate Bijapur hereby directs that the Bijapur Electric Supply Co. shall supply electric energy through out day and night on 12th. and 13th. October 1945, as it is so necessary to make various arrangements during W.'s visit to this place.

District Magistrate, Bijapur.

To

The Electric Supply Co. Bijapur.
The D.S.P. Bijapur, w.cs.
The S. D. M. City Bijapur.
The P. S. I. Bijapur City.

Copy w.cs.to
The Editor Nava-Karbatak with a request to publish it in the weekly paper.

Copy submitted to-
1. The Deputy Secretary to Govt. P.W.D.Bombay.
2. The Electrical Engineer to Govt. of Bombay, Bombay, in continuation of this office No. P.O.L.863, dated.9-10-45.

X P. 189

5945/36/34171.

El. Br. (II).

PWD

Submitted for information
with ref. to G. L. No. 5945/36-El.(II),
dated the 13-10-45.

To

PWD.
15-10-45.

Record

Sm

Sec II 13/10.



Dn. 16/10

El. (II) 13-10-45.

No. P.O.L.863.
Bijapur. 15-10-1945.

Read:- Government P.W.D. Letter No.5945/36-B1, dated 3-1-45.

Order.

In modification of this office order of even No. dated 16-4-45, and in exercise of the powers conferred by clause (a) of sub-rule 2 of Rule 81 of the Defence of India Rules read with Government ~~Xxx~~ Notification H.D. (Political -War) No.S.D./W-3401, dated 19-12-41, The District Magistrate Bijapur hereby directs that with effect from the date of this order, The Bijapur Electric Supply Co., Bijapur shall not supply electrical energy between 6.A.M. and 6.P.M. to any person, except for the X-Ray Plant at the Civil Hospital Bijapur between the hours of 5-30 P.M. and 6-00 P.M. on ~~xxx~~ days when it is actually to be used, without the special permission of the District Magistrate Bijapur, and except when it is necessary to do so in order to rectify any defects in the supply system.

Sd/- I.T.Almaula.
District Magistrate, Bijapur.

To

The Electric Supply Co.-Bijapur,
The D.S.P. Bijapur, w.cs.
The S.D.L.Bijapur City,
The Civil Surgeon Bijapur,
The P.T.I. Bijapur City,
for information and wide publication.
Copy to the Editors of Karnatak Vaibhav, Nava-Karnatak, Bijapur, with a request to publish the above order in their weeklies as a piece of news free of charge.

Copy w.cs. to the Manager Govt. Central press with a request to publish the above order in the B.G.G. Part.I.

Copy submitted to the Secretary, to the Govt. P.W.D. Bombay.

District Magistrate, Bijapur.

5945/36/34853.

El. Br. (II). P.W.D.

Submitted for information.

2. Pl. see —

(i) G. L. No. 5945/36-M, dated the 3-8-43; and

(ii) G. L. No. 5945/36-El., dated the 3-1-45.

The D.M's Order overleaf is in accordance with the orders issued in those G. Os.

3. A copy of the D.M's Order does not seem to have been endorsed to the El. Engr. to Govt. who may see these papers no. for information.

P.R.B.
23-10-45.

U.O.R. to the El. Engr. to Govt. dated the 1-11-45.

SEB II 3/11

P. W. D. BUREAU
FILE No. 5945/36
2 NOV. 1945
Bureau No. 36778

El. Br. II.
N.

2 NOV 1945

LRm 8 SEB II

No. LRm 8 3410 Dt. 3/11/45

Seen. Returned with compliments.

Secretary to Government,
P. W. D. Bureau.

P. W. D. BUREAU
File No. 5945/36
1 OCT. 1945
Bureau No. 34853

No. P.O.L.-863.
Bijapur, 27-10-1945.

Read:-
Govt. P.W.D. letter No. 5964/36E1 dated 3-1-1945.
The report No. G-274 dated 10-10-1945 from the Manager, Bijapur Electric Supply Co., Bijapur and endorsement of Civil Surgeon No. A-24/3795 of 22-10-1945.

ORDER.

In modification of this office order of even No. dated - 15-10-1945 and in exercise of the powers conferred by clause (a) of sub-rule 2 of rule 81 of the Defence of India Rules read with Govt. Notification H.D.(Political-War) No. S.D./W. 3401, dated 19-12-1941 the Dist. Magistrate, Bijapur hereby directs that with effect from the date of this order, the Bijapur Electric Supply Co., Bijapur shall not supply electrical energy between 6 A.M. and 6 P.M. to any person except for the X-Ray Plant at the Civil Hospital Bijapur between the hours of 4-30 P.M. to 5-30 P.M. on such days when it is actually to be used, without the special permission of the District Magistrate, Bijapur and except when it is necessary to do so in order to rectify any defects in the supply system.

Sd. I.T.Almaula,

Dist. Magistrate, Bijapur.

To
The Electric Supply Co., Bijapur.
The D.S.P.Bijapur, w.cs.
The S.D.M.Bijapur city for information and wide publication.
Copy to the Editors of Karnatak Vaibhav, Navakarnatak

145/36/36076.

Bijapur with a request to publish the above order in their weeklies as a piece of news free of charge. . . . .

Copy w.cs. to the Manager, Govt. Central Press, with a request to publish the above orderx in the Bombay Govt. Gazette, Part I.

Copy submitted to the Secretary to Government, P.W.D., Bombay.

Dist. Magistrate, Bijapur. .

P.W.D.

El. Br. (II)

Submitted for information.

2. The previous papers of the case have been put up as F.P. of another case submitted separately to P.W.D.

3. As copy of this Order has also not been endorsed to the El. Engr. to Govt, these papers may be shown to him for information.

P.W.D. U.O.R. to the El. Engr. to Govt.

31/10

31/10

File No. 5745/36

31 OCT. 1945

Order No. 36396.

E I B F.

31-10

Below U.O.R.No.59/45/36/36396 dated the 16th November 1945, from Government in the Public Works Department.

=====

No.LRM.8/3607 of 1945

Bombay 17-11 Novr. 1945.

Seen and returned with compliments.

Electrical Engineer to Govt.,

Rec'd 17/11

PUBLIC WORKS DEPARTMENT
File No. 5945/36
17/NOV. '45
Receipt No. 38332
Rec'd (11) 17-11-45

5945/36

~~34855~~

36332

PWD.

Sl. Br. (II).

Keep with the main file.

PRD.

20-11-45.

20/11/45

Modified vide post
1F.215

No.P.O.L.863
Via Bijapur, 24th Nov., 1945.
F. 176

Read: Government T.W.D. Letter No.5345/38-Pl. dated 3-1-45

Order

In modification of this office order of even no. dated 27-10-45 and in exercise of the powers conferred by clause(s) of sub-rule 2 of rule 81 of the Defence of India Rules read with Govt. Notification H.D.(Political Dept.) No. S.D./W.3401, dated 19-11-41 the District Magistrate, Bijapur, hereby directs that with effect from the date of this order, the Bijapur Electric Supply Co., Bijapur, shall not supply electrical energy between 5-30 a.m. to 5-30 p.m. to any person except for the X-ray plant at the Civil Hospital Bijapur between the hours of 4-30 p.m. to 5-30 p.m. on such days when it is actually to be used without the special permission of the District Magistrate, Bijapur, and except when it is necessary to do so in order to rectify any defects in the supply system.

Dist. Magistrate, Bijapur.

To
The Electric Supply Co., Bijapur
The D.S.P., Bijapur, w.cs.
The S.P.M., Bijapur City for information and wide publication.
Copy to the Editors of Karnatak Vaibhav, Bijapur, with a request to publish the above order in his weekly as a piece of news free of charge.
Copy w.cs. to the Manager, Govt. Central Press, with a reques to publish the above order in the Bombay Govt. Gazette, Part I.
Copy submitted to the Secretary to Govt., P.W.D., Bombay.

5945/36/39669.

P.W.D.

El. Br. (II).

Submitted for information.

2. The D.M's Order overleaf is in accordance with the orders issued in G.Os. No. 5945/36-M dated the 3-8-43, and No. 5945/36-El, dated the 3-1-45.

3. A copy of it has not been endorsed to the El. Engr. to Govt. who may see these papers in connection for information.

P.W.D.

4-12-45

U.O.R. to the El. Engr. to Govt. dated the 5-12-45.

5945/36.

9 NOV. 945

39669.

203

No. LRm 8 3863 of 6-12-45

Seen returned with
Compliments.



5945/36/40593 : 704

El. Br. (II).

Record.

8-12-45.

8/12/45

File
8/12

S. A. F.



Copy of letter No. 4860-61 dated 5-12-1945 from the Civil Surgeon, Bijapur to the Manager, Bijapur Electric Supply Co., Bijapur.

"I would like to inform you that cutting off the electric current at 6 a.m. as at present causes much inconvenience in the Hospital to the patients and the nurses. The nurses on night duty have to take temperatures and do the sponging etc., of the patients in the early hours of the morning from 5 a.m. I, therefore, request you to cut off the current at 6.45 a.m. during January and then reduce the time by 15 minutes every month till the time of 6 a.m. is reached during summer months. I am sure, this change on your part will not only be of great help to the Hospital but also to the public in general especially in the present times of rationing of kerosene oil. "

No. 4860-61 of 45.
Dated, 5-12-1945.

Copy forwarded w.cs. to the Dist. Magistrate, Bijapur, for favour of consideration and suitable action.

Sd. x x x
Civil Surgeon, Bijapur.

Copy of the reply from the Electric Supply Co., Ltd., Bijapur.

"Returned w.rs.
We are willing to run the Power House for 13 hours within the quota of Diesel oil sanctioned.
Orders may kindly be issued accordingly.

P.T.O.

The report of the Civil Surgeon No. 4360-61 dated 5-12-1945 is also herewith returned as desired by you. "

-

Urgent Please. Letter.

To

The Deputy Secretary to Government,
P.W.D. Bombay.

No. P.O.L.-863. Bijapur, 4-1-1946.

I submit herewith copy of ~~the~~ a letter from the Civil Surgeon, Bijapur and the reply from the Bijapur Electric Company thereto. The Company is willing to supply energy for 13 hours a day within the quota of diesel oil now sanctioned. I would, therefore, request you to kindly allow the Bijapur Electric Supply Company to increase the hours of supply to 13 hours every day.

Early orders are solicited in the matter.

Dist. Magistrate, Bijapur.

5945/36
741.

208

Gen II 8/1.

P. W. D.
File No. 5945/36.
Serial No. 741.

5945/36/741
P. W. Deptt.

El.Br.(II).

Submitted.

2. The Bijapur El.Supply Co.,Ltd., was originally classed 'D' permitting 6 hours' supply, with an allotment of 3½ tons of diesel oil per month. In Aug.1943, the Co. was permitted to give 12 hours' supply and the quota of the oil was increased to 10 tons per-month, vide G.L. No.5945/36-M, dated the 3-8-43. The present hours of supply as fixed by the D.M.,Bijapur, are from 5.30 P.M. to 5.30 A.M., vide his order dated the 24-11-45.

3. For the convenience of the Civil Hospital, Bijapur, the D.M. requests that the Supply Co. may be allowed to increase the hours of supply from 12 to 13 hours every day. He states that the Co. is willing to supply energy for 13 hours a day within its sanctioned quota of diesel oil.

4. In Decr.1944, an almost identical request was made by the D.M., vide his letter dated the 1-12-44, but it was not granted. Instead, the Supply Co. was permitted to supply el.energy to the X-Ray Plant at the Civil Hospital on such days as the same was actually to be used. This permission still holds good, vide the D.M.'s order dated the 24-11-45.

5. In the recent general revision, it has been decided that the question of increase in the hours of supply at Bijapur should be postponed till a report re: the satisfactory working of the Co's.plant, vide para.7 of the O.N. dated the 3-12-45, recorded on file No.1932/36/41988, and the Dy.Secy's. orders thereon. In this connection attention is invited to the U.C.R.No.L.R.M.

S/3436, dated the 18-1-46, from the El.Engr.to Govt., from which it seems that there is an improvement in the working of the Co.

6. There seems to be no objection to give an extra hour to the Supply Co. The El. Engr. to Govt. may, however, see and give his opinion.

23-1-46.

The El. Engr to Govt may be requested to give his opinion.

23/1/46

Yes

24/1/46

U.O.R. to the El. Engr. to Govt. * with file No. S.92/38147. dated the 24-1-46

VPA.
22/1/46..

1/1 209-210

Below U.O.R.No.5945/36/741 dated the 24th January 1946, from Government in the Public Works Department.

No. LRM 8 4621 of 1946.

Bombay, 31 January 1946.

Returned, with compliments.

2. There is no objection to the additionalhour being allowed, provided that the X-Ray plant is not worked during this additional hour. Reference in this matter is invited to this office No. LRM.8/3868 dated the 20th December 1944 (page 175), in which the X-Ray plant was to be used between the hours of 5.30 p.m. and 6.30 p.m. on such days as was necessary, and no other load to be allowed during this period. The Civil Surgeon in his letter dated 5-12-1945 required that the additional hour be from 6 a.m. to 7 a.m. with gradual reduction until the summer months are reached. This may be permitted.

x 1/1 .205

Electrical Engineer to Govt.

P.

5945/36/6015
El.Br.(II).

P. W. Deptt.

Submitted with ref.to this Deptt. 1/. 209-210 u.o.r. dated the 24-1-46.

2. As already stated in 1/. 209 para.2 of the O.N. dated the 22-1-46, the present hours of supply at Bijapur are from 5-30 P.M. to 5-30 A.M., vide the D.M's. order 1/. 201 dated the 24-11-45. Besides this, the Supply has been permitted to give supply between 4-30 P.M. to 5-30 P.M.(i.e., one hour) for the X-Ray plant at the Civil Hospital on such days when it is actually to be used, vide G.L. No. 5945/36-El. 1/. 176 dated the 3-1-45, and the D.M's. Order 1/. 201 mentioned above.

3. The recommendations made by the El. Engr.to Govt.in his u.o.r.overleaf may be approved as per draft put up for approval.

PRO
11-2-46.

11/II/46

11/2/46

Pl. send m/s files ref. to in no. 1/.

with a file (ii) 31/1

P. W. D,
File No. 5945, 36
Serial No. 6015

Sno 31/1

AE: I: (II) 31/1/46

Letter.

No.5945/36-El.(II). P.W.D.
B.C., 13th Feb.1946.

To

The D.M.,Bijapur.

Sub: Hours of supply of el.energy at Bijapur.

Ref: Your letter No:P.O.L. -863, dated the 4-1-46.

2. Govt. is pleased to permit the Bijapur El. Supply Co.,Ltd., to supply el. energy for 13 hours per day instead of 12 hours as at present, provided that the X-Ray plant at the Civil Hospital Bijapur, is not worked during the addl. hour now permitted. The supply during the addl.hour should be regulated as detailed by the Civil Surgeon,Bijapur, in his letter No.4860-61 dated the 5-12-45 to the Manager, the Bijapur El Supply Co. The supply for the X-Ray plant should be allowed as heretofore.

3. You are requested to issue an appropriate order, in modification of your Order No.P.O.L. 863, dated the 24-11-45, permitting supply as indicated above, and to forward copies thereof to Govt. and the El.Engr.to Govt.for information.

By order etc.,

Copy,with copies of the D.M's. letter under ref.and its accompts., forwarded for inform. to the El.Engr.to Govt.(with ref. to his No.LRM 8/4621, dated the 31-1-46).

Copies also for information to M/s. The Bijapur El.Supply Co. Ltd.

11-2-46.

Issued with accompts 13-2-46

No. P.O.L.-863.
Bijapur, 27-3-1946.

Read:-
Govt. P.W.D. letter No. 6945/36-M1 dated 3-1-1945.
Govt. P.W.D. letter No. 6945-36-M1(II) dated 13-2-1946.

ORDER.

In modification of this office order of even No. dated 24-11-45 and in exercise of the powers conferred by clause (a) of sub-rule 3 of rule 81 of the Defence of India Rules read with Govt. Notification H.D.(Political War) No. S.D./W.3401 dated 19-12-1941 the Dist. Magistrate, Bijapur hereby directs that with effect from the date of this order, the Bijapur Electric Supply Co. Bijapur shall not supply electrical energy between 6-15 A.M. to 5-15 P.M. to any person except for the X-ray plant at the Civil Hospital Bijapur between the hours of 4-30 p.m. to 5-30 p.m. on such days when it is actually to be used without the special permission of the Dist. Magistrate, Bijapur and except when it is necessary to do so in order to rectify any defects in the supply system.

Dist. Magistrate, Bijapur.

To
The Electric Supply Co., Bijapur. The D.S.P.Bijapur, w.cs.
The S.D.M.Bijapur city for information & wide publication.
Copy w.cs. to the Editor of Karnatak Vaibhav, Bijapur and Nava-Karnatak with a request to publish the above order in the weekly paper as a piece of news free of charge.
Copy w.cs. to the Manager, Govt. Central Press, with a request to publish the above order in E.G.G. Part I.
Copy submitted to:-
1. The Secretary to Govt. P.W.D., Bombay.
2. The Electrical Engineer to Govt. P.W.D. Bombay.
Copy w.cs. to the Civil Surgeon, Bijapur with reference to his letter No. 4860-61 dated 6-12-45.

5945/36/9294. 216

P.W.D.

El. Br. (II).

"Submitted for information with ref. to G. O. No. 5945/36-El. (II), dated the 13-12-46.

Record.

O.R.O.
11-3-46.
12

Cy
12.III.46

D.F. ✓

File 13/46

rem 7/3

P. 5945/36

Serial No. 9294.

El. (II) 7-3-46.

No. P.O.L.-863.
Bijapur, 6-3-1946.

Application from the Proprietor, Karandikar Bros, Bijapur dated 19-2-1946.

Order.

The Proprietor Karandikar Bros, Bijapur is permitted to temporarily electrify the pandal temporarily erected for the ensuing matriculation examination to be held from 10-30 A.M. to 6-30 P.M. on 5 days viz., 19-3-1946 to 23-3-1946 (both days inclusive). The fitting arrangement should be got done by the Bijapur Electric Supply Co. and electric energy should be supplied by the Company as agreed to.

Sd. I.T.Almaula,

Dist. Magistrate, Bijapur.

To

The Proprietors Karandikar Bros, Bijapur.
The Manager, Electric Supply Co., Bijapur.
The D.E.P.Bijapur, w.cs.
The Huzur Deputy Collector, Bijapur.
The Electrical Engineer to Govt. of Bombay, w.cs.
The Electrical Inspector, Bombay, w.cs.

Copy submitted to the Secretary to Government, P.W.D. Bombay.

P.T.O.

945/36/9932. 218

2. The supply of energy is only for 5 days and the students appearing for the Matriculation Examination would be very much inconvenienced in the absence of fans when they are to sit in a temporary pendal in these hot days. As there was no time for obtaining the prior sanction of Govt. the above order is passed in anticipation of sanction which may kindly be accorded. Last year the same facility was extended.

Dist. Magistrate, Bijapur.

PWD

El. Br. (II).

Submitted with a draft for approval.

PRO
14-3-46.

14.III.46

P. W. D.
File No. 5945/36.
Serial No. 9932.

DS El(3)(II) 13-3-46

5945/36

Letter.

No.5945/36-El(II). P.W.D. 9.932

B.C., 14th March 1946.

To

The D.M., Bijapur.

Subject:- Supply of electric power to the pandal erected for the Matriculation Examination at Bijapur.

.....

Ref.:- Para.2 of your endt. below your order No.P.O.L-863, dated the 4-3-46.

2. Your action is confirmed.

By order of the G. of B.

D.A.-Nil.

Copy for information to the El.Engr. to Government.

14-3-46.

14-III-46

14/3/46

No. P.O.L.-863.
Bijapur, 1-4-1946.

Read:-
Govt. P.W.D. letter No. 5945/36-El dated 3-1-1945.
Govt. P.W.D. letter No. 5946-36-El(II) dated 13-2-1946.

ORDER.

In modification of this office order of even No. dated ~~[illegible]~~ 27-2-1946 and in exercise of the powers conferred by clause (a) of sub-rule 2 of rule 81 of the Defence of India Rules read with Govt. Notification H.D.(Political Bar) No. S.D./W.3401 dated 19-12-41 the Dist. Magistrate, Bijapur hereby directs that with effect from the date of this order, the Bijapur Electric Supply Co., Bijapur shall not supply electrical energy between 6-0 A.M. to 6-30 P.M. to any person except for the X-ray plant at the Civil Hospital Bijapur between the hours of 4-30 p.m. to 5-30 p.m. on such days when it is actually to be used without the special permission of the Dist. Magistrate, Bijapur and except when it is necessary to do so in order to rectify any defects in the supply system.

Dist. Magistrate, Bijapur.

To
The Electric Supply Co., Bijapur. The D.S.P.Bijapur, w.cs.
The S.D.M.Bijapur city for information and wide publication.
Copy w.cs. to the Editor of Karnatak Vaibhav, Bijapur and Navakarnatak with a request to publish the above order in the weekly paper as a piece of news free of charge.
Copy w.cs. to the Manager, Govt. Central Press, with a request to publish the above order in B.G.G. Part I.
Copy submitted to:-
1. The Secretary to Government, P.W.D. Bombay.
2. The Electrical Engineer to Govt. P.W.D. Bombay.
Copy w.cs. to the Civil Surgeon, Bijapur with reference to his letter No. 4860-61 dated 6-12-1945.

5943/36/13587.

~~P.W.D.~~

El. Br. (II).

Submitted for information.

Record.

P.R.O.
13-4-46.

15/4/46.

P. I. I.
File No. 5945/36
Serial No. 13587.

El.Br.(II) 9-4-46

Original in file No.1932/36/16217

Subject:-Relaxation of the restrictions on street lighting.

No.P.O.L.-863.
Bijapur, 24-4-1946.

Read:-
Govt. P.W.D. letter No.1932/36-El(II) dated 28-3-1946.

Order.

The restrictions imposed in the use of electricity under this office No.P.O.L. dated 26-10-1942 in so far as they relate to street lighting and are hereby removed.

Sd/-
Dist. Magistrate, Bijapur.

To
The Bijapur Electric Supply Co., Bijapur.
Copy to:-
The President, Municipal Borough, Bijapur, w.cs.
The D.S.P.Bijapur, s.cs.
The Mamlatdar of Bijapur with a request to give wide publicity to the order.
Copy w.cs. to the Editors of Nava Karnatak and Karnatak Vaibhav for favour of publishing it in their weeklies as a piece of news free of charge.
Copy submitted to:-
1. The Secretary to Govt. P.W.D.Bombay.
2. The Electrical Engineer to Govt.P.W.D.Bombay.

AHD/3/5/46.

No.P.O.L.-862.
via Bijapur :24th May 1946.

Order:

The Chairman of the 8th Maharashtra and Karnatak Provincial Medical Conference, 1946. is permitted to temporarily electrify the Government High School building from 2-30 p.m. to 5-30 p.m. on 24th, 25th and 26th May, 1946. The fitting arrangements should be got done by the Bijapur Electric Supply Company and the Company should supply electric energy during the period.

Sd. I.T. Almaula.
District Magistrate, Bijapur.

No.P.O.L.-863
via Bijapur: 24th May 1946.

Copy submitted to the Secretary to Government P.W.D., Bombay.

2. The supply of energy is only for 3 days and the persons attending the conference would be very much inconvenienced in the absence of fans during these hot days. The concession allowed is covered by orders contained in Govt. P.W.D. letter No. 5945/36-El dated 7.7.1944.

Dist. Magistrate, Bijapur.

945/36/20895.

El. Br. (II). PWD.

Submitted for information.

PRO 6/6/46. Record..

6/6/46. D.C.

File 8/6/46.



Circular.

No.8224/36-El.(II). Public Works Department,
Bombay Castle,30th November 1946.

To

All District Magistrates.

Subject: Restriction in the use of electricity.

With the lapse of the Defence of India Act and Rules,the restriction and control over the supply of electricity by public electricity undertakings in the Province of Bombay are withdrawn with effect from the 1st October 1946 in respect of the following undertakings:-

Messrs.The Broach Electric Supply and Development Corporation,Limited.
" The Bhusawal Electricity Company,Limited.
" The Nipani Electricity Company.
" The Amalner Electricity Company,Limited.
" The Ahmednagar Electric Supply Company,Limited.
" The Bagalkot Electric Supply Company.
" The Yeola Electric Supply Company,Limited.
" The Barsi Electric Supply Company.
" The Sangamner Electric Supply Company.
" The Viramgam Electric Supply Company,Limited.
" The Sholapur Spinning and Weaving Company,Limited.
" The Bijapur Electric Supply Company,Limited.
" The Dhulia Electric Supply Limited.
" The Nadiad Electric Supply Company,Limited.
" The Satara Electric Supply Company,Limited.
" The Matheran Electric Supply Company,Limited.
" The Nandurbar Electric Supply.Company,Limited.
" The Anand Electric Supply Company,Limited.
" The Bassein Electric Supply Company,Limited.
" The Manmad Electric Supply Company,Limited.
" The Mahad Electric Supply Company.
" The Sinnar Electric Supply Company.
" The Udwada Vapi Electric Supply Company,Limited.
" The Gadag Electric Supply Limited.
" The Byadgi Electric Supply Limited.
" The Ranebennur Electric Supply Company.
" The Jubilee Electric Works.
" The Haveri Electric Supply Company.
" The Igatpuri Electric Supply Company.
" The Palghar Navli Electric Supply.
" The Savda-Faizpur Electric Supply Company, Limited.
" The Amalgamated Electricity Company,(Belgaum), Limited, (Bulsar Branch).
" The Chalisgaon Electricity Company.
" The Jalgaon Electric Supply Company,Limited.
" The Koregaon Electricity Supply.
" The Rander Electric Supply Company.
" The Karad Electric Supply Company,Limited.
" The Dharwar Electric Supply Company,Limited.
" The Pandharpur Electric Supply Company,Limited.
" The Sanand Electric Supply Company,Limited.
" The Light and Power Supply Limited,(Athni).
" The Wai Electric Light and Power Supply Corporation, Limited.
" The Dakor-Umreth Electric Supply Company.
" The Amalgamated Electricity Company(Belgaum) Limited, Belgaum Branch.

The control over the under-mentioned undertakings has, however, been continued under the provisions of the Bombay Electricity (Emergency Powers) Act, 1946 (Bombay Act No.XX of 1946) :-

1...

4. So far as ~~xxdxxxx~~ orders, if any, issued by the District Magistrates under clause (a) of sub-rule (2) of rule 81 of the Defence of India Rules restricting the supply of electric energy to particular consumers at specified hours relating to the 23 controlled Companies mentioned above are concerned, they continue to be in force under the provisions of the Ordinance referred to above, vide paragraph 2 of this Circular. As,however, it is necessary to review such cases, the District Magistrates concerned are advised to instruct the Supply Companies within their respective jurisdiction to represent to Government in the matter,so that each such case will be considered on its own merits and necessary instructions issued to the District Magistrates in due course.

With regard to similar orders,if any, relating to the decontrolled Companies, the District Magistrates concerned are requested to cancel them forthwith. In case such orders are considered necessary on representation by any of the decontrolled Companies, such cases will also be reviewed by Government, in consultation with the Electrical Engineer to Government, and the District Magistrates will then be advised to issue necessary orders under the provisions of the Ordinance mentioned above.

5. The District Magistrates concerned should,please,report to Government and the Electrical Engineer to Government any action taken by them in pursuance of the instructions contained in this Circular.

By order of the Governor of Bombay,

G. N. Pandit,
Deputy Secretary to the Government
of Bombay, Public Works Department.

D.A:Nil.

Copy forwarded for information to the Electrical Engineer to Government with reference to his No.LRM 31/3281, dated the 21st November 1946.

2. The Electrical Engineer to Government is informed that the instructions contained in paragraph 3 of the above Circular are in supersession of the orders issued to him in paragraph 3 of Government Letter No.8215/36-El.(II), dated the 21st October 1946. The Supply Companies concerned should however, be made to understand quite clearly that they should bring their plants up to standard with the minimum delay possible and that unless they satisfy Government that they have taken steps in this direction, no restriction of hours will be granted.

Copies for information to -

the Commissioners of Divisions,
the Secretary,the Association of Electrical Undertakings, Bombay Province.

PA 29/11/46

1. The Tata Hydro-Electric Power Supply Company,Limited.
2. The Andhra Valley Power Supply Company,Limited.
3. The Tata Power Company,Limited.
4. The Bombay Electric Supply and Tramways Company,Limited.
5. The Bombay Suburban Electric Supply,Limited.
6. The Poona Electric Supply Company,Limited.
7. The Thana Electric Supply Company,Limited.
8. The Kalyan Electric Supply Company,Limited.
9. The Lonavla-Khandalla Electric Supply Company,Limited.
10. The Panvel Taluka Electric Development Company,Limited.
11. The Amalgamated Electricity Company(Belgaum),Limited, Bhiwandi Branch.
12. The Ahmedabad Electricity Company,Limited.
13. The Surat Electricity Company,Limited.
14. The Nira-Lonand Electric Supply Company.
15. The Godhra Electricity Company,Limited.
16. Mahableshwar Electric Supply, C/O The Panchgani Electric Supply Company,Limited.
17. The Malegaon Electricity Company,Limited.
18. The Nasik-Deolali Electric Supply Company,Limited.
19. The Panchgani Electric Supply Company,Limited.
20. The Chopda Electric Supply Company,Limited.
21. The Dohad Electricity Company,Limited.
22. The Baramati Electric Supply Company,Limited.
23. The Junnar Electric and Water Supply Company.

2. In view of the shortage of diesel oil a scheme for restriction in the hours of supply of electric energy by electricity undertakings operated on that oil has been in force since August 1942 and the hours of supply of various undertakings in this Province were restricted, under instructions from Government,by orders issued by the District Magistrates concerned under clause (a) of sub-rule (2) of rule 81 of the Defence of India Rules.It is observed that some District Magistrates are issuing,where necessary, similar orders under the Defence of India Rule 81 mentioned above, read with section 7 of the Bombay Electricity(Emergency Powers) Act,1946. This action of the District Magistrates is not in order as this Act does not provide for any curtailment in the hours of supply by the licensees. In this connection,Government is advised that orders issued by the District Magistrates under clause (a) of sub rule (2) of rule 81 of the Defence of India Rules restricting the hours of supply by the licensees as well as the supply of electric energy to particular consumers at specified hours,do not continue to be in force under section 7 of the Bombay Electricity (Emergency Powers) Act,1946, but that they continue to be in force under the provisions of the Emergency Provisions(Continuance)Ordinance,1946, which has been published in the Government of India Gazette, Extraordinary, dated the 25th September 1946, and republished in Part IV of the Bombay Government Gazette, dated the 4th October 1946. Government is further advised that such orders can now be issued by the District Magistrates, under instructions from Government, under Rule 81(2)(a) of the Defence of India Rules as continued in force by section 2 of the Ordinance mentioned above.

3. With regard to orders restricting the hours of supply of various Electric Supply Companies, which are either controlled or decontrolled,the District Magistrates concerned are requested to cancel them forthwith. Ordinarily,on the expiry of the Defence of India Act and Rules on the 30th September 1946, the regulation of the hours of electric supply by the licensees would have been governed by the terms of their licenses and the provisions of the Indian Electricity Act,1910, but for the promulgation of the Ordinance referred to above. If, therefore, the hours of supply of such of the licensees as are required to be absolved from their liability to give 24 hours' supply are to be restricted, each such case when received, will be considered by Government on its merits, subject to the undertaking by the Companies concerned that they bring their plants up to standard with the minimum delay possible. The District Magistrate concerned will then be advised to issue the necessary Order under the provisions of the Ordinance referred to above.

Letter.

No.8224/36-El.(II). Public Works Department,
Bombay Castle, 10th March 1947.

To

The District Magistrate, Surat.
The District Magistrate, Belgaum.
The District Magistrate, Thana.
The District Magistrate, Dharwar.
The District Magistrate, Satara.
The District Magistrate, East Khandesh.
The District Magistrate, Kolaba.
The Additional District Magistrate, Satara.

Subject: Restriction in the use of electricity.

Reference: Paragraphs 3 and 4 of Government Circular, [illegible] Public Works Department No.8224/36-El.(II), dated the 30th November 1946.

2. Several Licensees have since applied to Government for restricted hours of supply of electric energy for reasons such as inadequacy of plant, non-availability of spare parts, want of motive power load, etc. After careful consideration, Government has decided to restrict the hours of supply in respect of the Electricity Supply Undertakings, as shown in column 3 of the sub-joined statement :-

Name of Undertaking.	Existing hours of supply per day.	Decision of Government.
District Surat.		
1. The Udwada-Vapi Electric Supply Company.		The hours of supply at Udwada should be restricted to 12½ hours per day, i.e., from 6 P.M. to 6-30 A.M., and the hours of supply at Vapi should be extended to 24 hours.
District Belgaum.		
2. The Nipani Electricity Company.	12½	The hours of supply should be restricted to 16 hours from 4 P.M. to 8 A.M.
3. The Light and Power Suppliers Limited, (Athni).	6	The hours of supply should be restricted to 6 hours per day.
District Thana.		
4. The Palghar-Nayli Electric Supply Company.	12½	The hours of supply should be restricted to 12½ hours per day.
District Dharwar.		
5. The Byadgi Electric Supply Company.	6	The hours of supply should be restricted to 6 hours from 6 P.M. to 12 midnight. The Company should, however, be asked to make immediate arrangements to install an additional set so as to fulfil its obligations to the existing as well as prospective consumers.

Name of Undertaking	Existing hours of supply per day.	Decision of Government
6. The Ranebennur Electric Supply Company		The hours of supply should be restricted to 6 hours per day, the actual hours being fixed according to local conditions and the requirements of the Ranebennur Municipality for the street lighting.
7. The Haveri Electric Supply Company.		The supply should be restricted from 6 P.M. to 12 midnight and in accordance with the Haveri Municipality's street lighting schedule.
8. The Gadag Electric Supply Company.	12½	The Company should be allowed to give supply only during the night time, i.e., from Sunset to Sunrise. It should, however, be asked to make early arrangements to install an additional set so as to be able to fulfil its obligations to the existing as well as prospective consumers.
District Satara.		
9. The Allied Electric Agencies Limited (Koregaon).	7	The hours of supply should be restricted to 12 hours per day during the night time, the actual hours being fixed by the District Magistrate according to local conditions.
10. The Karad Electric Supply Company.	19	The hours of supply should be restricted to 19 hours from 4 P.M. to 7 A.M. and from 8 A.M. to 12 Noon
District East Khandesh.		
11. The Savda-Faizpur Electric Supply Company.	12	The hours of supply should be restricted to 16 hours from 6 P.M. to 10
District Kolaba.		
12. The Matheran Electric Supply Company.	12 hours during the months of October, November, December, April and May and upto the 15th June and 6 hours during the remaining periods of the year (vide the District Magistrate's Corrigendum No. P.O.L.S.R. II/143, dated the 26th November 1946).	The existing hours of supply should be continued.

3.- You are requested to issue appropriate orders under clause (a) of sub-rule (2) of rule 81 of the Defence of India Rules as continued in force by section 2 of the Emergency Provisions (Continuance) Ordinance,1946, fixing the hours of supply as indicated above in respect of the Undertakings within your jurisdiction, and to forward copies of the same to Government and to the Electrical Engineer to Government for information.

4. The Electrical Engineer to Government is requested, where necessary, to take action to increase the quota of diesel oil in respect of the above-mentioned Undertakings.

5. These orders are in supersession of all orders issued on the subject from time to time in respect of the Undertakings mentioned above.

By order of the Governor of Bombay,

G. N. Pandit,
Deputy Secretary to the Government
of Bombay, Public Works Department.

D.A:Nil.

Copy forwarded for information to -

The Commissioners of Divisions,
the Electrical Engineer to Government.

2. The Electrical Engineer to Government should, please, make arrangements, where necessary, to increase the quota of diesel oil in respect of the Undertakings mentioned above and report the fact to Government.

3. The Electrical Engineer to Government is also requested to see that the Supply Companies concerned take necessary ~~xxxxx~~ steps to bring their plant up to standard with the minimum delay possible.

Copy also for information to the Secretary, The Association of Electrical Undertakings, Bombay Province.

W.P.
D/3/47
P.W.D.
1943

No. POL.863.
Bijapur 16th March 1947

ORDER.

Under the authority vested in him under Rule 81(2)(a) of the Defence of India Rules, as continued in force under Section 2(1) of the Emergency Provisions (Continuance) Ordinance, 1946, the District Magistrate, Bijapur, is pleased to regulate the working hours of the - Bijapur Electric. Co. Bijapur from 10-30 A.M. to 7 A.M. (of the suceeding day) on the dates shown below:

From	To.
17-3-47	22-3-1947.

Sd. Y.R.Parpia.

District Magistrate, Bijapur.

Copy to:-
The Manager, Bijapur Electric Supply Co. Bijapur w.cs.
The President Municipal Borough Bijapur wcs.
The S.D.M. Bijapur City.

Copy Submitted to the Dy. Secretary to Govt. P.W.D. Bombay.

Copy w.cs to the Electrical Inspector, Bombay.

BRK

Dist. Magistrate, Bijapur.

For physical
file see file No
12416 on 5-23-8, 20



No. P.O.L.-863.
Bijapur, 15-3-1947.

ORDER.

Messrs. Karandikar Bros. merchants and Contractors, Bijapur are hereby granted permission to erect temporary electrical installation for fans in the matriculation Examination Pendal in the Govt. High School Compound Bijapur from 17-3-1947 to 21-3-194 (both days inclusive), between 10-30 A.M. to 6-30 P.M.

2. The Electrical Energy should be obtained from the local Electric Supply Co. and the work of installation should be entrusted to certified engineer of Bijapur Electric Supply Co. Bijapur.

Sd. Y.R.Parpia,

Dist. Magistrate, Bijapur.

Copy to:-
Messrs. Karandikar Bros.
The Electrical Inspector, P.W.D.Bombay, w.cs.
The S.D.M.F.C.Bijapur city.
The D.S.P.Bijapur, w.cs.
The Manager Bijapur Electric Supply Co., Bijapur, w.cs.

Copy submitted to the Dy. Secretary to Government, P.W.D. Bombay for information.

Dist. Magistrate, Bijapur.
15-3

KB.

5945/36/12426

El. Br.

P. W. D.

Subtd. (together with Srl. No. 12417) for information.

2. The Bijli Vir Electric Supply Coy. Ltd. has since been decontrolled, — vide, Govt. circular letter No 8224/36-II, d. the 30-11-46.

ASO
16-4-47.

Record.

16-4-47

P. W. D.
File No. ~~S-6~~ 5945/36/El Br
Serial No. 12426

Dy. : 19-3-47

Telephone No. 36

The Bijapur Electric Supply Co. Ltd., Bijapur.

Managing Agents:
M/s Abdulkayum & Sons,
BIJAPUR.

Ref No. G- 143 *of 1948.*

BIJAPUR 31st May 1948.
M. S. M. Ry.

To,

The Deputy-Secretary to Government Of Bombay.
Bombay.

Sir,

Re:- Permission for reduction in supply of hours

As the fuel-oil quota had been recently reduced by the Burmah-Shell Oil Company, we were inevitably compelled to effect reduction in supply of hours from 25/5/1948, in anticipation of your permission.

Please therefore, treat us the required permission and oblige

Yours faithfully
A B Kaiumdin
for MANAGER.
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.,
BIJAPUR.

5945/36/28685

El. Br. (C)

Submitted with a draft for approval.

5-6-48

P. W. D.
File No. 5945/36
S[illegible].28685

MT E/(C) Helper.

No. 5965/86-9(C).

P.C.O.D.,
B.C., 7th June 48.

To

M/s. The Bijapur Supply Co. Ltd.,
Bijapur.

Subj:- Houses of supply at Bijapur.

Dear Sirs,

With ref. to your letter No. G-1163, dtd 31-5-48, I am to request you to state for ~~the~~ how many houses you are in a position to give the supply with the existing

5965/06/28685 — Nil

stock of diesel oil. + quota

Yours faithfully

D A - Nil.

5-6-46

5-6-46

Yours

Telephone No. 36

The Bijapur Electric Supply Co. Ltd, Bijapur.

Managing Agents:
M/s Abdulkayum & Sons,
BIJAPUR.

Ref No. G- 163 *of 1948.*

BIJAPUR 11/6/1948.

M. S. M. Ry.

To, The Under-Secretary to the Government
of Bombay, P. W. D. Fort, Bombay.

Sub: Hours of Supply.

Dear Sir,

We are in receipt of your letter No. 5945/36-E.I.(c) of 7/6/48. At-present we are running the Power-house from 4 P.M. to 1 A.M each day. We are in Communication with M/S Burmah-Shell, our Supplyers of diesel oil as to the exact quantity of oil, they will be surely supplying us during the quarter, July/Sept. 1948.

On receipt of their reply, we will again revise the hours of Supply if the reply is found encouraging.

Kindly grant permission and oblige

Yours faithfully
for MANAGER.
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.,
BIJAPUR.

5945/36/31281

Dl-Bm.(E)

Await —

15/6/48

15/6/48

I.W.S.

B/1586

14/11

P. W. D.
File . 5945/36
Serial No. 31281

I.W.S.(E)

14-6-48

Telephone No. 36

The Bijapur Electric Supply Co. Ltd, Bijapur.

Managing Agents:
M/s Abdulkayum & Sons,
BIJAPUR.

Ref No. M-158 *of 1948-49*

BIJAPUR 11th June 1948.
M. S. M. Ry.

To,

M/S The Burmah-Shell
Oil Storage & Distributing Co ,. of India, Ltd Bombay

Dear Sirs,

Re: oil supply in the quarter July/Sept 1948

We must thank you indeed for the Tank Waggon which you so kindly sent to us on realising our needs. Though we have received the T -waggon we can not however resume our electric supply for 21 hours until and unless we are informed by you to the exact quantity of oil you will surely supply us during the above quarter.

On referring to your quota for the same quarter in 1947 we have found that you have supplied two T -waggons during that quarter.

Our requirements during 1948 July/Sept quarter would be about 3 T -Waggons provided we run the Power House for 21 hours.

Please let us know the exact quantity of oil you will surely supply us in July/Sept quarter to enable us to adjust our supply hours during this month and the next quarter.

At present we are running the Power House for 9 hours. If your reply is encouraging we will increase the supply at least by 3 to 4 hours.

Please reply and oblige

P T O

We remain,

Yours faithfully,

SD/- For K H Gokhale

MANAGER.

THE BIJAPUR ELECTRIC SUPPLY CO. LTD.

BIJAPUR.

Forwarded through the District Magistrate,

Bijapur

"True Copy"

MANAGER.

THE BIJAPUR ELECTRIC SUPPLY CO. LTD.,

BIJAPUR.

BURMAH-SHELL
Oil Storage & Distributing Co , Of India, Ltd ,

Burmah-Shell House,
Ballard Estate,

S/IP Bombay 1, 2-7-1948

The Bijapur Electric Supply Co , Ltd
Bijapur (M & S M Rly)

Dear Sirs,

BURMAH-SHELL LIGHT DIESEL OIL

We regret the delay in acknowledging your communication No M-159 of 1948-49 dated 11-6-48 and No M-182 of 1948 dated 26-6-48, in connection with your Light Diesel Oil requirements.

In this regard we had hoped to be in a position to indicate to you the total quantity of B S L D which would be despatched to Bijapur during the period July/September 1948. Unfortunately this information has not yet been received and in the circumstances, we regret our inability to provide this information as requested. So soon as we know, however, that this will be, we will inform you immediately

Your requirements of 3 tankwaggons fo r this period are noted and provided our overall availability is sufficient we will be glad to supply you accordingly.

Everything depends upon what this quantity will be, but you may rest assured we will do what we can to assist you.

Yours faithfully,
For Burmah-Shell Oil Storage and Distributing Co , of India , Ltd .

"True Copy" SD/- X X X

Manager,

The Bijapur Electric Supply Co , Ltd , Bijapur

Telephone No, 36.

The Bijapur Electric Supply Co. Ltd., Bijapur.

Managing Agents:
M/s. Abdulkayum & Sons,
BIJAPUR.

Ref. No. G-197 *of 194* 8-49

Bijapur 7th July 194 8.
M. S. M. Ry.

To,

The Deputy Secretary to Government,
Public Works ~~Dept~~ Department,
Secretariat, Fort, Bombay.

Sir,

Re: Supply Hours.

We are enclosing a true copy of our letter No 158 addressed to the Burmah-Shell and a copy of their reply dated 2-7-1948 for your kind perusal.

We were quite specific in our statement while as the Burmah-Shell are vague with the result that we do not know what is in store for us. M/S Burmah-Shell have not even stated what part of their July/ Sept , oil quota they would send in July. Had they done so we would have known our oil situation here and would have adjusted our supply hours accordingly. Now our supply hours are from 4 P M to 1 A M viz 9 hours. These hours are the minimum that any consumer can not afford to lose.

We have hardly 10 days oil stock at the rate of 9 hours per day. If you can not come to our aid by requesting M/S Burmah-Shell to book ~~our~~ one oil tank waggon at once we shall have to reduce the supply hours to 4 or 5 hours and thereafter if the same situation continues our Power House will come to a stand still. We hope and pray that we will not be reduced to such hopeless position.

Encl:- 2 copies.

Yours faithfully,
MANAGER,
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.,
BIJAPUR.

Copies forwarded with respects to:-

(1) The Electrical Engineer to Govt , P W D Bombay

(2) The District Magistrate, Bijapur

(3) M/S The Burmah-Shell Oil Co , Ltd , Bombay

M/S Burmah-Shell are requested to send atleast one Tank-waggon out of our July/Sept quota immediately on receipt of this letter

We confirm of having sent you the following Telegram today

"Your letter second July contents vague despatch one Tank-Waggon immediately Oil stock nearly exhausted fear shut down " Electric Supply.

P. W. D.
File No. 5945/36.
Serial No. 36796

5945/36
36796

Febr(c).

(WD

The Hl. King. may be requested
Ho. to contact the Coy. to help
in getting the oil.

SB
12.Jun 48

12-7-48

✓
Ho to Hl. King. to Godl. of Ms 13-7-48.



Below U.O.R.No.5945/36/36796 dated the 13th July 1948, from Government in the Public Works Department.

No. LRM 8/2180 of 1948.

Bombay, 20th July 1948.

Returned, with compliments.

2. The matter was taken up with Messrs.Burmah-Shell Oil Storage and Distributing Co.of India, Ltd., Bombay, but so far no reply has been received. From telephonic inquiries, it is understood that a tank wagon has been despatched on the 15th July 1948.

Electrical Engineer to Govt.

P.

5945/36/41582 254

EC Bd(C) PWD

In connection with ref. to the O.M. dt. the 12-7-48 p. 251

2. In view of the Hl. Finance remarks, no further action seems necy.

SB
3-8-48

3-8-48

P. W. D.
File No. 5945/36
Serial No. 41582

EC(3)(7)

file

MWS
4/8

EC(3)(C)
31-7-48

MWS

253

Telephone No, 36.

The Bijapur Electric Supply Co. Ltd., Bijapur.

Managing Agents:
M/s. Abdulkayum & Sons,
BIJAPUR.

Ref. No. G-253 *of 194* 8-49

Bijapur 20-8- 194 8
M. S. M. Ry.

To,

The District Magistrate,
Bijapur.

Subject.- Supply of Diesel oil.

Sir.

We are in receipt of your letter No. K. E. R.-28-D, bearing no date.

Please atleast supply us 264 gallons which you have in stock. We have sent a telegram to M/S. Burmah-Shell, Bombay on 17-8-1948. We think that the supply from Bombay will not come in time and also your supply of 264 gallons will not at all be sufficient to run our Power House for 14 hours viz. our present hours of supply to 10 hours of supply.

We are therefore reducing the hours of supply from 14 hours to 10 hours. That is our Power House will run from 4.P.M. to 2A.M. (next day).

The reduced hours of supply will have to be further reduced in case the supply of oil does not reach us in time.

Yours faithfully.,

for [illegible]
MANAGER.
M/S BIJAPUR ELECTRIC SUPPLY CO. LTD.
BIJAPUR.

Copy forwarded with respects to the Deputy Secretary to the Government of Bombay, Public Works Dept.

2. The Electrical Engineer to the Government of Bombay, Public Works Dept.

3. The Dist. Supdt., of Police, Bijapur.

P.P-15

P. W. D.
File No. 5945/36
Serial No. 45909

5945/36/45909

P.W.D.

Secretary of State.

2. Attention is invited to the Foreign Office letter at p. 249 ante / the Secretary of State's remarks at p. 253 thereon. / p 253. As above, the present communication may be referred to the Secretary of State for favour of his remarks.

25 Aug



25-8-45

25-8-45

Secretary of State. Would you agree to 25/8

Below U.O.R.No.5945/36/45909 dated the 26th August 1948, from Government in the Public Works Department.

=======

No. LRMS 2628 of 1948.

Bombay, 27th August 1948.

Returned, with compliments.

2. From telephonic inquiry with Messrs.Burmah-Shell Oil Storage and Distributing Co.of India, Ltd., it has been ascertained that a tank wagon of 15 tons has been despatched to Bijapur on the 21st August 1948.

Electrical Engineer to Govt.

P.

5945/36/47299

260

FC Pole)

PWD

Submitted with ref. to this O.M. at p. 257 ante.

2. From the W.E. Engr's report, p. 259 it may be seen that the S. Coy. has need. the necy. supply of oil. If appd., the S. Coy. may be asked to take for how many hrs. & for what hrs. the Coy will now be able to give supply, as per draft put up for appl.

SB
30.8.48

[signature]
30/8/48

✓
MS

Rhqrs)

P. W. D.
File No. 5945/36
Serial No. 47399

Pole)
27-8-48

PWS

No. 5945/36-EC(c). 261 P.W.D.

Bg. 1st Sept. 48

To

M/s The Byafara E.S. Co., Ltd.

Byafara

Sub:- Hours of supply.

—o—

Dear Sirs,

With ref. to your letter No. E-203, dt. the 20-8-48, I am to state that it is understood from the tel. msg. to Engr. Asst. a tank wagon containing 15 tons of diesel oil has already been despatches to Byafara. I am, therefore, to request you kindly to state for how many hours you had worked, and how many hours you will now be able to give supply with town.

Yours faithfully,

Dft. Nil

Colln.

S/965/36/4/399

Copy forwarded for information to the Fl. Engr. to Govt. with ref. to his No. 2214 S/3620. S dt. 27-8-42.

30.8.42

ISSUED on... 2/9/42...

URGENT

Telephone No. 36

The Bijapur Electric Supply Co. Ltd., Bijapur.

Managing Agents:
M/s Abdulkayum & Sons,
BIJAPUR.

URGENT

Ref No. G-281 , of 194 8-49.

BIJAPUR, 6 - 9 - 1948
M. S. M. Ry.

To,

The District Magistrate.
Bijapur.

Sir.

We regret to state that one of our Big Oil Engines has suffered heavy damage yesterday night. It would require about a week for the complete repair of the Engine. We have no other go but to keep Major Part of the Town in darkness for a week or so.

We request you therefore to please supply extra kerosene to all our consumers. The kerosene should be sufficient to last them a ~~week~~ fortnight.

We remain.
Yours faithfully.

for THE BIJAPUR ELECTRIC SUPPLY CO. LTD.
MANAGER,
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.
BIJAPUR.

P.T.O.

Copies forwarded with respects to :-

(1) .The Deputy Secretary to the Govt., of Bombay, P. W. D.

(2). The Electrical Engineer to the Govt., of Bombay P. W. D.

(3). The President. The Municipal Borough. Bijapur.

(4). The Dist. Supdt., of Police. Bijapur.

(5). The Civil Surgeon. Bijapur.

El.1019 of 39 B.D 31/8

P. W. D.
Registered No. 5945/86
Serial No. 49170

Telephone No. 36

The Bijapur Electric Supply Co. Ltd, Bijapur.

Managing Agents:
M/s Abdulkayum & Sons,
BIJAPUR.

Ref No. G-290 *of 194* 8-49.

BIJAPUR 9- 9- 1948.
M. S. M. RY

To,

The Under Secretary to the Government of Bombay,
Public Works Department.

Subject :- Hours of Supply.

Sir.

We are in receipt of your letter No. 5945/36-El (C), of 1-9-1948. We are at present running our Power House for 10 hoursviz :- from 4. P M. to 2 . A M. daily .

We have received 15 tons of Diesel oil on 27-8-1948. We have to return about 6 tons of oil to local oil suppliers from whom we had taken the oil on loan basis. The remaining quantity has to last us upto about 10th of October 1948 when ordinarily we expect a further supply of oil tank-waggon. If we maintain the present supply hours we have hopes that we may be able to make use of the remaining quantity of oil upto about -

about 10th of October 1948. If the quantity does not suffice we will again approach the local supplier for loan. So our supply hours will remain unchanged.

We remain.

Yours faithfully,

MANAGER.
THE BIJAPUR ELECTRIC SUPPLY CO. LTD.
BIJAPUR.

P. W. D.
File No. 5945/36.
Serial No. 49285

267 SSGST/36/49285

P.W.D

K.C.B.L(C).

Letter dated with ref. to the Q.L. at p. 261 ante together with P.No. 49120 p. 263

2. The Byculla K.C.S. Coy. in reply to the above Q.L. at p. 265 states that it is running its Power House for 10 hrs. only. It also admits that it has since received 15 tons of oil ref. by the K.C.B.L. as per its note. But for the reasons stated in para 2 of its letter at p. 265, the Coy. says that its supply hours will remain unchanged.

3. Attention is invited to the Coy's letter at p. 264 addressed by M/s the Burmah Shell Coy. and from which it will be seen that the Coy. was giving 21 hrs. of supply then. It is not understood why the Coy. is now unable to give the same hours of supply at.

/45736/49285

at least. In fact, the Coy. is bound to give
24 hrs' supply unless authorized by Govt to
reduce its hours of supply by an executive
order issued in the matter. If advd., the
El. Engr. may be requested to offer his
remarks in the matter.
P.No. 49170. - Calls for no remarks.

SB
16-9-48

16-9-48

V

V

No. in El. Engr's C.M. of 17 Sept.



18/9.

Below U.O.R.No.5945/36/49285 dated the 17th September 1948, from Government in the public Works Department.

No. LRD/48 Revised Bombay. 3510 of 1948

Bombay, 18th October 1948

Returned, with compliments.

2. The Company has been giving 21 hours supply after decontrol but has to reduce the hours of supply to 15 hours (from 4 1 to 7 A.M.) at present as the quota of die oil has been reduced. They will require 1 tons per month for giving supply for 21 hours whereas they are getting only 10 to per month at present. Messrs.Burmah Shell Oil Storage and Distributing Company of (India) Ltd., have been requested to sup 17 tons of diesel oil per month but unles the Civil Supplies Department agrees to this, they may not issue the quota of 17 t under the above circumstance, the present 15 hours' supply may be approved by an executive order.

Electrical Engineer to

E1 20/10

P. W. D.
File No. 5945/36
Serial No. 57437

19-10-48

5945/36/57(S)

270

Hebr.(c).

(Awi)

Submitted with ref. to the
O.M., dt. the 16-9-48. p. 268
2. In view of the circumstances
stated by the C-in-C, p. 269, his
suggestion may be agreed to
+ if asked, the draft draft
for appl. may issue.

SB
21-10-48

Mom 21-10-48

✓

2. 8

No. S-945/36-EC(C).

P. W. D.,
Bg., 26th Oct. 48

To

M/s The Bijapur El. S. Co., Ltd,
Bijapur

Sub:- Hours of supply at Bijapur

Dear Sirs,

With ref. to the corres. ending with your letter No. E. 290, dt. the 9-9-48, I am to state that the Emergency Provisions (Continuance) Ordinance, 1946, having expired the D.M. can no longer issue any order restricting the hours of supply of energy in the case of your undertaking. In the circumstances explained by you, Govt. is, however, pleased to permit you to supply energy for 15 hours per day i.e. between 6 p.m. and 7 a.m. next day.

Yours faithfully,

Encl:- Nil

Secy....

P. 215

IS/36/5/43

Copy forwarded for information to:-
The Fl. Kuq. to Govt. (w.r. to his No. LA5j'
8/3570, dt the 08.10-48.)
The D. M., Bijapur.



21-10-48

21-10-48

26/X

21